



TOTAL DESIGN FOR
BEST PERFORMANCE



INNOVATION IN THE **A/C RECHARGING SERVICE**

What the **SERIE 300** represents

Following the success of the 300 Series, the new **300 IRC Series** is the result of **Oksys'** great experience in the A/C service machines field.

In a modern workshop, having complete remote control of the equipment is increasingly necessary.

Oksys, with its own internal resources, has developed a new, continuously updated line which facilitates the use of the A/C service machines and simplifies the work in the workshop, making on-line reports available to inform the customer and making a series of useful information available online (performed services, databases, etc.).



CONNECTION VIA BLUETOOTH TO OKSYGEN

- Remote control of operations
- Instant updating of the database
- Remote control of the machine (START and STOP) and A/C system diagnosis
- Remote assistance
- Report of all services made, to be displayed on a Tablet / Smartphone or PC and to be sent to the customers



REDUCED SERVICE AND MAINTENANCE COSTS

- Up to 95% refrigerant recovery in accordance with SAE J2788
- Filter drier change after 100 Kg of recovered refrigerant
- Vacuum pump oil replacement after 80 hours of vacuum
- Simple access to all components for easy maintenance



RELIABILITY

- High precision electronic scales to avoid frequent calibrations
- Accurate refrigerant charging, with protection system for the vehicle's compressor
- Internal self-diagnosis



GREEN/SUSTAINABLE

- Fully recyclable packaging
- High efficiency distiller and condenser to reduce consumption
- Low energy consumption solenoid valve technology
- Remote Assistance



Intelligent Remote Control



The advantages of the **IRC** SERIES

STATUS
INDICATOR
LIGHT



INTEGRATED
DIAGNOSIS WITH
TEMPERATURE
PROBES



ERGONOMIC USE
VIA KEYBOARD
AND GRAPHIC
DISPLAY



HERMETIC
REFILLABLE OIL
BOTTLES
"OIL LOCK"



OIL
LOCK



INTEGRATED
BLUETOOTH
AS STANDARD



REMOTE ASSISTANCE
WITH LOG-IN TO THE
OKSYSLAB PORTAL



REMOTE CONTROL
VIA TABLET
OR SMARTPHONE

READY FOR HYBRID
AND ELECTRIC
VEHICLES
WITH CIRCULAR
INTERNAL
FLUSHING



READY FOR LEAK
TESTS WITH THE
USE OF NITROGEN
OR FORMING GAS



INTEGRATED
REFRIGERANT
ANALYSIS



FACILITATED
SCALE LOCK
AND CALIBRATION



-->



POSSIBLE
RECONFIGURATION FROM
HF01234YF TO R134a




A/C SYSTEM
FLUSHING

THE EXPERIENCE



www.oksyslab.com

- On-line manuals
- On-line exploded views and technical information
- Control of the installed stations
- Maintenance management
- Database
- Tutorials





Oksy^sGen+

The OKSYGEN APP

AN ESSENTIAL DEVICE TO COMPLETE ALL THE FUNCTIONS OF THE A/C STATION

- Database always updated and possibility to create a customized database
- Visualization of the services performed and sending of the receipt to the customer
- Reset counters
- Online monitors






The **FAST** Series

FAST 342 / FAST 342 YF / FAST 322 / FAST 322 YF
FAST 302 / FAST 302 YF







✓ STANDARD ● OPTION

CHARACTERISTICS

	FAST 342	FAST 342 YF	FAST 322	FAST 322 YF	FAST 302	FAST 302 YF
	SCF342R	SCF342H	SCF322R	SCF322H	SCF302R	SCF302H
TYPE OF REFRIGERANT						
 AUTOMATIC WORKING CYCLE No manual taps	✓	✓	✓	✓	✓	✓
 HIGH PRECISION RECOVERY FUNCTION	✓	✓	✓	✓	✓	✓
 AUTOMATIC OIL INJECTION with scale and refillable/ hermetic bottles (OIL LOCK)	✓	✓	✓	✓	✓	✓
 AUTOMATIC DYE INJECTION with scale and refillable/ hermetic bottles (OIL LOCK) O-PK00096	✓	✓	✓	✓	●	●
HEATER BELT INCLUDED	✓	✓	✓	✓	✓	✓
USB PORT	✓	✓	✓	✓	✓	✓
INTERNAL DATA BASE including commercial and agricultural vehicles	✓	✓	✓	✓	✓	✓
 INTEGRATED AUTOMATIC NITROGEN AND FORMING GAS LEAK CHECK (STL0003 / STL05xx / STL0017)	✓	✓	●	●	●	●
STATUS INDICATORS	✓	✓	✓	✓		
 READY TO USE ON HYBRID OR ELECTRIC CARS with rapid oil decontamination system	✓	✓	✓	✓	✓	✓
 INTERNAL FLUSHING	✓	✓	✓	✓	✓	✓
 A/C SYSTEM PROFESSIONAL FLUSHING (ACC-FLUSHING / ACC-EASYFLUSH PLUS)	●	●	●	●	●	●
 A/C SYSTEM DIAGNOSYS	✓	✓				
 CONFIGURABLE GAS TYPE from HFO1234YF to --> R134a O-PK00097 / O-PK00099		✓		✓		✓
 BLUETOOTH CONNECTION APP OKSY [®] GEN+	✓	✓	✓	✓	✓	✓



ACCESSORIES

	FAST 342	FAST 342 YF	FAST 322	FAST 322 YF	FAST 302	FAST 302 YF
 CODE ACC-88.072	DESCRIPTION Gas bottle adapter ¼					
	●		●		●	
 CODE ACC-88.011	DESCRIPTION Straight adapter HP ¼					
	●		●		●	
 CODE ACC-88-289H	DESCRIPTION Universal bottle adapter HFO1234YF					
		●		●		●
 CODE O-PK00051 O-PK00051 OPZ	DESCRIPTION Printer kit					
	✓	✓	✓	✓	●	●
 CODE GAS ID GAS ID OPZ	DESCRIPTION SAE J 2843 internal HFO1234YF refrigerant identifier kit					
	●	●	●	●	●	●
 CODE ACC-BLK-FAST300	DESCRIPTION Antidust Blanket					
	✓	✓	✓	✓	●	●



FAST 342 YF IRC



FAST 302 IRC



FAST 322 YF IRC

