


JohnBear



**ACCESSORIES
CATALOGUE
2024**

WHEEL ALIGNERS | WHEEL BALANCERS
TYRE CHANGERS | LIFTS | INDUCTION
HEATERS

WHEELALIGNERS

01

WHEEL ALIGNERS

WHEELBALANCERS

09

WHEEL BALANCERS

TYRECHANGERS

38

TYRE CHANGERS

LIFTS

67

LIFTS

INDUCTIONHEATERS

73

INDUCTION HEATERS

GENERAL ACCESSORIES

INCLINOMETER

H2500770



DESCRIPTION
ROMESS CM-09606 with power supply, standard adaptor, transport case and operating instructions, 230 V, 50 Hz

COMPATIBILITY
Applicable for all wheel aligners

▶ € 6257.00

GENERAL ACCESSORIES

DATA TRANSMITTER AND CHARGING STATION

H2500772



DESCRIPTION
(Shuttle) with base plate, power supply and data transmission lead (RS 232), 230 V, 50 Hz, for ROMESS CM-09606

COMPATIBILITY
Applicable for all wheel aligners

▶ € 1532.00

GENERAL ACCESSORIES

SERIAL PC CONNECTING LEAD

H2500775



DESCRIPTION
SUB-D 9-pin, for ROMESS CM-09606

COMPATIBILITY
Applicable for all wheel aligners

▶ € 64.00

GENERAL ACCESSORIES

INTERMEDIATE ADAPTOR

H2500777



DESCRIPTION
For W163 (M class), MV ride height control of front axle, for ROMESS CM-09606

COMPATIBILITY
Applicable for all wheel aligners

▶ € 474.00

GENERAL ACCESSORIES

INTERMEDIATE ADAPTOR

H2500778



DESCRIPTION
For W163 (M class), MHN caster measurement of rear axle, for ROMESS CM-09606

COMPATIBILITY
Applicable for all wheel aligners

▶ € 616.00

GENERAL ACCESSORIES

ADAPTOR FOR VANEO 414

31429



DESCRIPTION
For ROMESS CM-09606

COMPATIBILITY
Applicable for all wheel aligners

▶ € 207.00

GENERAL ACCESSORIES

USB / SERIAL CABLE KIT

EAK0334J99A



DESCRIPTION
For connection of Romess equipment w/o USB interface to wheel aligners with Embedded PC

COMPATIBILITY
Applicable for all wheel aligners

▶ € 138.00

GENERAL ACCESSORIES

RACK-CHECK TARGET KIT

EAK0320J69A



DESCRIPTION
Tool for the rack-check test procedure

COMPATIBILITY
V3400 MB-1

▶ € 836.00

GENERAL ACCESSORIES

TOE PRESSURE BAR

4027194

▶ DESCRIPTION



▶ COMPATIBILITY

Applicable for all wheel aligners

▶ € 561.00

GENERAL ACCESSORIES

PREMIUM TURNTABLE KIT

33260

▶ DESCRIPTION

50 mm high, front (pair) consisting of:
2 mechanical turntables
1 base for 50 mm height



▶ COMPATIBILITY

Applicable for all wheel aligners

▶ € 1170.00

GENERAL ACCESSORIES

PADDLE KIT

4029542

▶ DESCRIPTION

For premium turntables 31738 / 33260
Kit = 2 off; 2 kits required for 2 turntables



▶ COMPATIBILITY

Applicable for all wheel aligners

▶ € 96.00

GENERAL ACCESSORIES

ROLL FORWARD / ROLL BACK KIT

4029543

▶ DESCRIPTION

For premium turntables 31738 / 33260



▶ COMPATIBILITY

Applicable for all wheel aligners

▶ € 979.00

GENERAL ACCESSORIES

DUST COVER

8-07424A

▶ DESCRIPTION

For John Bean wheel aligner terminal



▶ COMPATIBILITY

Applicable for all wheel aligners

▶ € 177.00

GENERAL ACCESSORIES

TURNTABLES + PADDLE KIT

4030929

▶ DESCRIPTION

50 mm high, front (pair) consisting of:
2 mechanical turntables
1 base for 50 mm height



▶ COMPATIBILITY

Applicable for all wheel aligners

▶ € 1170.00

GENERAL ACCESSORIES

ROLL BACK KIT

4029544

▶ DESCRIPTION

For premium turntables 31738 / 33260



▶ COMPATIBILITY

Applicable for all wheel aligners

▶ € 733.00

GENERAL ACCESSORIES

DUST COVER

4029541

▶ DESCRIPTION

Rubber, for premium turntables 31738 / 33260,
set = 2 off



▶ COMPATIBILITY


Applicable for all wheel aligners

▶ € 132.00

GENERAL ACCESSORIES

PORTABLE REAR TURN/SLIP PLATES

4027190



► **DESCRIPTION**
50 mm high, +/-5 (pair)


► **COMPATIBILITY**
Applicable for all wheel aligners

► € 743.00

GENERAL ACCESSORIES

1 METRE REAR SLIP PLATES

4027193



► **DESCRIPTION**
Ramps, 50 mm high (pair)

► **COMPATIBILITY**
Applicable for all wheel aligners

► € 3189.00

GENERAL ACCESSORIES

TARGET KIT

4030246



► **DESCRIPTION**
For customised solutions on four-post lifts
Not for X-Cel series

► **COMPATIBILITY**
Visualiner 3D Arago; Visualiner 3D2 only in conjunction with 4030248

► € 2149.00

GENERAL ACCESSORIES

SHIM KIT 3 DEG.

4030248

► **DESCRIPTION**
For use of target kit 4030246 on series Visualiner 3D2
Not for X-Cel series

► **COMPATIBILITY**
Visualiner 3D2

► € 109.00

GENERAL ACCESSORIES

TIP (TARGET IMAGING POINTER)

4028515



► **DESCRIPTION**
Additional target for ride height measurement

► **COMPATIBILITY**
Visualiner 3D1, 3D2, Arago, V2260/V2280, V2300. Standard on V2400 & V3400. Not for V2200

► € 890.00

GENERAL ACCESSORIES

UPGRADE KIT ON-DEMAND RIDE HEIGHT TARGETS

EAK0320J93A



► **DESCRIPTION**
Contains the on-demand ride height kit (4 targets), Pro42 update and a vertical pull-out shelf to be fixed in the cabinet
- For V2400 and V3400 with new 2015 mobile control terminals, Pro42 software rel. 7.5.6 only

► **COMPATIBILITY**
V2400 and V3400

► € 1621.00

GENERAL ACCESSORIES

LDW ADAPTOR

EAK0289J09A



► **DESCRIPTION**
For ADR /ACC camera without LDW feature (former version) consisting of:
- adaptor
- hexagon socket setscrew
- flat counter nut
- 3 mm bolt + 4 mm bolt
- Not for Visualiner 3D X-Cel, V2200, V2300 and V3400

► **COMPATIBILITY**
Applicable for all except Visualiner 3D X-Cel, V2200, V2300 and V3400

► € 187.00

GENERAL ACCESSORIES

CONTROL CAMERA FOR ADR / ACC / LDW SYSTEM.

30958



► **DESCRIPTION**
For ADR / ACC / LDW system / VAS 6331-1
Including EAK0289J09A LDW adaptor

► **COMPATIBILITY**
VAS 6331 and VAS 6421

► € 3203.00

GENERAL ACCESSORIES

CONTROL CAMERA KIT

EAK0334J15A



DESCRIPTION

"Consisting of:
Control camera, software update Pro42 7.5.8, cables and power supply kit to power camera.
Kit allows to calibrate 4 systems within the car:
- ADS (adaptive steering)
- ACC (adaptive cruise control)
-LDW/FK (lane departure warning/front camera)
- Night Vision
The kit requires a VAS6430 calibration board and VAS6150 scan tool sold separately.
Kit requires software Pro 42 version 7.5.8 and works with V2300, V3400 with AC100 and AC400 clamps."

▶ € 3196.00

COMPATIBILITY

Kit requires software Pro 42 version 7.5.8 and works with V2300, V3400 with AC100 and AC400 clamps.

GENERAL ACCESSORIES

UNIVERSAL LIFT MOUNT CLAMP, SHORT

EAK0350J19A



DESCRIPTION

Recommended for installation behind the turntable; typical mounting accessory for reference pods

▶ € 1598.00


COMPATIBILITY

Standard on V1200

GENERAL ACCESSORIES

FLOOR-MOUNT LIFT KIT

EAK0334J61A



DESCRIPTION

▶ € 381.00

COMPATIBILITY

V1200

GENERAL ACCESSORIES

MOBILITY KIT

EAK0305J78A



DESCRIPTION

Set of wheeled base plates + docking cleats

▶ € 1638.00

COMPATIBILITY

V3400

GENERAL ACCESSORIES

HUB ADAPTOR KIT FOR AC100 / AC400

EAK0222J83B



DESCRIPTION

For AC100 / AC400
For measurement without wheels, wheel clamp to be fitted to this adaptor. 2 sets = 2 off each
Not for V2200

▶ € 2001.00

COMPATIBILITY

Applicable for all except V2200

GENERAL ACCESSORIES

SIDE MOUNT KIT

EAK0334J93A



DESCRIPTION

Mounts reference pods closer to the lift.

▶ € 695.75

COMPATIBILITY

V1200

GENERAL ACCESSORIES

MOBILITY BASE KIT

EAK0350J84A



DESCRIPTION

To combine cabinet and camera system into one mobile unit

▶ € 931.00

COMPATIBILITY

V2260 & V2280

GENERAL ACCESSORIES

WHEELED BASE

EAK0305J58A



DESCRIPTION

Additional wheeled bases for installation in various alignment bays

▶ € 1531.00

COMPATIBILITY

V3400

GENERAL ACCESSORIES

DOCKING CLEATS

EAK0305J77A



DESCRIPTION

Additional docking cleats for wheel base plates for installation in various alignment bays (set of 2)

COMPATIBILITY

V3400 / V3450

▶ € 212.00

CAMERA BEAM SUPPORTS / WALL MOUNTS

DUAL TALL SUPPORT KIT

EAK0289J80A



DESCRIPTION

"To retrofit Visualiner 3D Lite, 3D1 and 3D2 no supports in Pro32 and X-Cel series as well as V2200, V2300 and V2400 with dual tall supports for the camera beam
Height adjustable from 109 cm (43") to 180 cm (71")"

COMPATIBILITY

Visualiner 3D Lite, 3D1 and 3D2

▶ € 1102.00

CAMERA BEAM SUPPORTS / WALL MOUNTS

CENTRE TALL SUPPORT KIT

4031236



DESCRIPTION

"To retrofit Visualiner 3D Lite, 3D1 and 3D2 no supports in Pro32 and X-Cel series as well as V2200, V2300 and V2400 with a centre tall support for the camera beam
Height adjustable from 109 cm (43") to 180 cm (71")"

COMPATIBILITY

Visualiner 3D Lite, 3D1 and 3D2

▶ € 553.00

CAMERA BEAM SUPPORTS / WALL MOUNTS

DUAL SHORT SUPPORT KIT

EAK0289J81A



DESCRIPTION

"To retrofit Visualiner 3D Lite, 3D1 and 3D2 no supports in Pro32 and X-Cel series as well as V2200, V2300 and V2400 with dual short supports for the camera beam
Height adjustable from 48.2 cm (19") to 87 cm (34.25")"

COMPATIBILITY

Visualiner 3D Lite, 3D1 and 3D2

▶ € 1102.00

CAMERA BEAM SUPPORTS / WALL MOUNTS

CENTRE SHORT SUPPORT KIT

4031234



DESCRIPTION

"To retrofit Visualiner 3D Lite, 3D1 and 3D2 no supports in Pro32 and X-Cel series as well as V2200, V2300 and V2400 with a centre short support for the camera beam
Height adjustable from 48.2 cm (19") to 87 cm (34.25")"

COMPATIBILITY

Visualiner 3D Lite, 3D1 and 3D2

▶ € 553.00

CAMERA BEAM SUPPORTS / WALL MOUNTS

TILT CAMERA BEAM

4031154



DESCRIPTION

For Visualiner 3D Lite, 3D1 and 3D2 in Pro32 and X-Cel series as well as V2200, V2300 and V2400.
To be fitted on wall when neither lift version, nor either of the support versions can be used

COMPATIBILITY

Visualiner 3D Lite, 3D1 and 3D2

▶ € 2492.00

CAMERA BEAM SUPPORTS / WALL MOUNTS

CENTRE TALL SUPPORT KIT

EAK0350J88A

DESCRIPTION

To retrofit V2260 / V2280 w/o supports with a centre tall support for the camera beam

COMPATIBILITY

V2260 / V2280

▶ € 600.00

CAMERA BEAM SUPPORTS / WALL MOUNTS

CENTRE SHORT SUPPORT KIT

EAK0350J89A

DESCRIPTION

To retrofit V2260 / V2280 w/o supports with a centre short support for the camera beam

COMPATIBILITY

V2260 / V2280

▶ € 600.00

WHEEL CLAMP ACCESSORIES

ELECTRONIC TILT CAMERA SUPPORT KIT

EAK0350J85A

► **DESCRIPTION**

To be fitted on wall when neither lift version, nor the support version can be used

► **COMPATIBILITY**

V2280

► **€ 3042.00**

WHEEL CLAMP ACCESSORIES

AC400 WHEEL CLAMP KIT

EAK0305J51A



► **DESCRIPTION**

For retrofit on X-Cel wheel aligners from software rel. 7.4.1, consisting of:
 - 4 AC400 wheel clamps
 - 4 hangers
 - 4 double targets
 - software update
 - installation instructions
 TID is required before using these clamps.

► **COMPATIBILITY**

X-Cel wheel aligners

► **€ 4599.00**

WHEEL CLAMP ACCESSORIES

TYRE CLAMP KIT

4029276



► **DESCRIPTION**

- Set of 4 tyre quick clamps
 - Set of 3 x 16 claw sleeves (three different types)

► **COMPATIBILITY**

For 4029327, 4029328, X-Cel series

► **€ 1994.00**

WHEEL CLAMP ACCESSORIES

AC100 UNIVERSAL WHEEL CLAMP KIT

EAK0306G04A



► **DESCRIPTION**

For retrofit on X-Cel AC400 wheel aligners, consisting of:
 - 4 standard wheel clamps
 - 4 hangers
 - 4 double targets
 - installation instructions
 TID is required before using these clamps.

► **COMPATIBILITY**


X-Cel AC400 wheel aligners

► **€ 4599.00**

WHEEL CLAMP ACCESSORIES

AC400 WHEEL CLAMP KIT

EAK0320J35A



► **DESCRIPTION**

For retrofit on V2300 AC100 and V2400 AC100 consisting of:
 - 4 AC400 wheel clamps
 - 4 XD targets
 TID is required before using these clamps.

► **COMPATIBILITY**

V2300 AC100 and V2400 AC100

► **€ 4605.00**

WHEEL CLAMP ACCESSORIES

AC100 UNIVERSAL WHEEL CLAMP KIT

EAK0320J36A



► **DESCRIPTION**

For retrofit on V2300 AC400 and V2400 AC400 consisting of:
 - 4 universal wheel clamps
 - 4 XD targets
 TID is required before using these clamps

► **COMPATIBILITY**

V2300 AC400 and V2400 AC400

► **€ 4605.00**

WHEEL CLAMP ACCESSORIES

AC100 UNIVERSAL WHEEL CLAMP KIT

EAK0305J83A

► **DESCRIPTION**

For retrofit on V3400 AC400, consisting of:
 - 4 Universal wheel clamps (2 front / 2 rear)
 - 4 XD targets
 Comes standard with V3400 AC100

► **COMPATIBILITY**

V3400

► **€ 5606.00**

WHEEL CLAMP ACCESSORIES

AC400 WHEEL CLAMP KIT

EAK0305J85A

► **DESCRIPTION**

For retrofit on V3400, consisting of:
 - 4 AC400 quick wheel clamps
 - 4 XD targets
 Comes standard with V3450 and V3400 AC400

► **COMPATIBILITY**

V3400 & V3450

► **€ 5606.00**

WHEEL CLAMP ACCESSORIES

"4" EXTENSION KIT

30926



DESCRIPTION

For use on universal wheel clamps AC100 & AC200 (set of 16 off for 4 wheel clamps)

COMPATIBILITY

€ 667.00

WHEEL CLAMP ACCESSORIES

"2" EXTENSION KIT

4031262



DESCRIPTION

For universal wheel clamps A100 / AC200 / AC700 to be used for big wheels (with deep hub) (set of 16 off for 4 wheel clamps) Wheel clamps not included in delivery.

COMPATIBILITY

€ 502.00

WHEEL CLAMP ACCESSORIES

TWO-SIDED CLAW

4029108



DESCRIPTION

1 kit per clamp

COMPATIBILITY

€ 190.98

V2100

WHEEL CLAMP ACCESSORIES

AC 400 DUAL WHEEL ADAPTOR KIT

EAK0305J50A



DESCRIPTION

Extension for AC400 Set of 6 x EAA0381J05 for 2 AC400 wheel clamps

COMPATIBILITY

€ 405.00

WHEEL CLAMP ACCESSORIES

LOW PROFILE TYRE WHEEL CLAMP ADAPTORS

EAK0268J40B



DESCRIPTION

For low profile tyres of small cars in conjunction with universal wheel clamps AC100 / AC 200, not for use on AC400 clamps Set = 4 off, 16 off needed for an aligner

COMPATIBILITY

€ 158.00

SOFTWARE

VEHICLE SPECS PACKAGE

CONTAINS:

PRO32 CD (3-980266L1)
PRO32 USB (3-82826W1L1)
PRO42 (3-79226ABL1)
CONNECTED (EAK0334J92A)

DESCRIPTION

Comprehensive vehicle specifications for wheel alignment with a coverage of 35 years. Up to 3 updates a year ensure customers always have access to the most up-to-date information based on OEM updates and technical service bulletins. For the vehicle specs we do not take over any warranty for discrepancies whatsoever from car makers specs.

COMPATIBILITY

SERVICE TOOLS

CALIBRATION KIT

34443



DESCRIPTION

In conjunction with calibration kit 4027185 for calibration of PRISM aligners. In conjunction with calibration kits 4027185 and EAK0305J09B for calibration of all current wheel aligners.

COMPATIBILITY

€ 298.00

SERVICE TOOLS

ADAPTOR KIT FOR AC400 WHEEL CLAMPS

EAK0305J09B



DESCRIPTION

2 Paddles In conjunction with 3D calibration kits 4027185 and 34443 for calibration of all current wheel aligners.

COMPATIBILITY

€ 2014.00

SERVICE TOOLS

3D CALIBRATION KIT

29522



► **DESCRIPTION**
For 3D aligners

► **COMPATIBILITY**
3D Wheel Aligners

► € 2788.00

SERVICE TOOLS

UPGRADE KIT FOR ISO CALIBRATION TOOL

EAK0320J38A

► **DESCRIPTION**
For ISO verification of all 3D wheel aligners with AC400 wheel clamps in conjunction with Iso calibration tool prior to 12.2014

► **COMPATIBILITY**

► € 2095.00

SERVICE TOOLS

ISO CALIBRATION TOOL

4029727



► **DESCRIPTION**
For ISO verification of all Snap-on CCD and 3D wheel aligners Redesigned 12.2014 for additional use of wheel aligners with AC400 wheel clamps

► **COMPATIBILITY**

► € 14083.00

GENERAL ACCESSORIES

PEDAL DEPRESSOR ASSEMBLY

28115



► **DESCRIPTION**
Extends to the brake pedal and helps to lock it into position

► **COMPATIBILITY**

► € 60.00

GENERAL ACCESSORIES

SUPPORT ASM, MOVABLE BEAM

4029004

► **DESCRIPTION**
Movable camera beam support

► **COMPATIBILITY**

► € 6372.00

GENERAL ACCESSORIES

KIT MOBILITY, V SERIES CABINET, W/EXT. B

EAK0320J78B

► **DESCRIPTION**
50 mm high, front (pair) consisting of:
2 mechanical turntables
1 base for 50 mm height

► **COMPATIBILITY**

► € 838.00

GENERAL ACCESSORIES

MOBILITY KIT

EAK0320J78D



► **DESCRIPTION**
For wheel aligners with new 2015 mobile control terminal only The kit is attached to the rear side of the cabinet to accommodate the lift

► **COMPATIBILITY**

► € 838.00

ACCESSORIES FOR CONE ADAPTOR

"CENTRING CONE Ø 3.8-4.6" - 96-116MM"

25539



► **DESCRIPTION**

For rims with centre bore of Ø 97-115 mm.
For wheel balancers with 40 mm shaft.

► **COMPATIBILITY**

► **€ 189.00**

ACCESSORIES FOR CONE ADAPTOR

CENTRING CONE Ø 42-80 MM

25517



► **DESCRIPTION**

For rims with centre bore of Ø 43-79 mm.

► **COMPATIBILITY**


► **€ 68.00**

All car wheel balancers with VPM system, except B9100

ACCESSORIES FOR CONE ADAPTOR

CENTRING CONE Ø 195-Ø 214 MM

25790



► **DESCRIPTION**

For light-truck rims, steel rims with centre bore of Ø 196 - 213 mm.
For wheels of less than 65 kg and for maximum overall diameter of 900 mm.

To be applied only from the outside and in conjunction with spacer ring 24937.

► **COMPATIBILITY**

► **€ 437.00**

For wheel balancers with 40 mm shaft.

ACCESSORIES FOR CONE ADAPTOR

"2" SPACER"

201260



► **DESCRIPTION**

"To add another 2" between rim contact surface and machine cabinet. For wide car rims with high offset."

► **COMPATIBILITY**

► **€ 463.00**

ACCESSORIES FOR CONE ADAPTOR

CENTRING CONE Ø 72-99 MM

25518



► **DESCRIPTION**

For rims with centre bore of Ø 73-98 mm.
For wheel balancers with 40 mm shaft.

► **COMPATIBILITY**

► **€ 160.00**

ACCESSORIES FOR CONE ADAPTOR

CENTRING CONE Ø 113-170 MM

24936



► **DESCRIPTION**

For steel and alloy rims with centre bore of Ø 114 - 169 mm, on the condition the centre bore outer side is machined sufficiently accurate. To be applied only from the outside and in conjunction with spacer ring 24937.

► **COMPATIBILITY**

► **€ 334.00**

For wheel balancers with 40 mm shaft.

ACCESSORIES FOR CONE ADAPTOR

CLAMPING PLATE ASSEMBLY (PLASTIC) Ø 200 MM

25314



► **DESCRIPTION**

For alloy rims with lock ring, or rims with wheel cap clamps.

► **COMPATIBILITY**

► **€ 137.00**

For wheel balancers with 40 mm shaft.

ACCESSORIES FOR CONE ADAPTOR

SPACER RING (PLASTIC)

24937



► **DESCRIPTION**

For light-truck rims which are clamped using special centring cones ref. no. 24936 and 25790, or using a stud-hole flange.

► **COMPATIBILITY**

► **€ 322.00**

CENTRING RINGS FOR CONE ADAPTORS

SET OF 9 CENTRING RINGS

EAK0315G93A



► **DESCRIPTION**
"52.5-122 mm / 2" 4.8"

► **COMPATIBILITY** ► € 575.00

CENTRING AND CLAMPING SETS FOR CONE ADAPTORS

BMW KIT 2013+

EAK0306G43A



► **DESCRIPTION**
Consisting of:
1 Tapered centring ring
1 Stud-hole flange
5 Centring bolts 100 mm long
Designed for the new BMW Mini 2013+ and the new BMW cars 2013+ with centre bore dia. 66.5 mm and pitch circle dia of 5 x 112 mm - Upgrade kit of 4028997 made for all BMW until 2012

► **COMPATIBILITY** ► € 1296.00

CENTRING AND CLAMPING SETS FOR CONE ADAPTORS

MB CENTRING KIT

EAK0315G21A



► **DESCRIPTION**
Consisting of:
1 Tapered centring ring Ø 66.42 - 66,50 / 84 mm
1 Tapered centring ring Ø 57 / 60 mm
1 Tapered centring ring Ø 161 mm
To be used in conjunction with standard wheel balancers

► **COMPATIBILITY** ► € 785.00

CENTRING AND CLAMPING SETS FOR CONE ADAPTORS

CENTRING SET MB SPRINTER / VW CRAFTER +

35383




► **DESCRIPTION**
For light trucks MB Sprinter and VW Crafter, series 400/ 46, pitch circle dia. 6 x 205 mm

► **COMPATIBILITY** ► € 721.00
Can be used on car & truck wheel balancers

CENTRING AND CLAMPING SETS FOR CONE ADAPTORS

BMW CLAMPING KIT

8-02691A



► **DESCRIPTION**
Consisting of:
30345 Stepped tapered centring ring 56 / 57 / 72.5 / 74 mm -
4028860 Stud-hole flange FP BMW (4x100 / 5x120)
5 EAK0306G42A bolts (100 mm long)
EAM0087G85A flange plate (5x112 / 5x120)
EAM0087G84A collet

► **COMPATIBILITY** ► € 2250.00

CENTRING AND CLAMPING SETS FOR CONE ADAPTORS

LONG BOLTS FOR BMW CLAMPING KIT

EAK0279G46A



► **DESCRIPTION**
5 Centring bolts 120 mm long to clamp BMW X5 rims on FB BMW (kit 4028997 / 8-02691A)

► **COMPATIBILITY** ► € 318.00

CENTRING AND CLAMPING SETS FOR CONE ADAPTORS

CENTRING SET MB SPRINTER / VW CRAFTER

35382



► **DESCRIPTION**
For light trucks MB Sprinter and VW Crafter, pitch circle dia. 6 x 130 mm

► **COMPATIBILITY** ► € 540.00
Can be used on car & truck wheel balancers

CENTRING AND CLAMPING SETS FOR CONE ADAPTORS

LIGHT-TRUCK KIT

4026401




► **DESCRIPTION**
Spacer and cone 122-172 mm, for all Y2k balancers with 40 mm shaft.

► **COMPATIBILITY** ► € 486.00
For wheel balancers with 40 mm shaft

CENTRING AND CLAMPING SETS FOR CONE ADAPTORS

ATV / QUAD KIT

31588



DESCRIPTION

To be used to balance ATV / Quad wheels. Cone and quick nut / clamping sleeve supplied with the machine need to be used from the outside with this kit.

COMPATIBILITY

For balancers with 40 mm shaft: B9000, B9005, B9100, B9450, B9455, B9455-2, B9460, B9460P, B9465, B9465 P, B9750, B9750 P, B9755, B9755 P, B9850 P, B9855 P, B9200, B9250 and series B100, B200, B300, B340, B400, B500, B600 as well as B800P, B1200P and B2000 P

▶ € 270.00

STUD-HOLE FLANGES FOR CONE ADAPTORS

UNIVERSAL FLANGE PLATE FPM-1

32052



DESCRIPTION

For 3, 4 and 5 stud rims
Pitch circle dia. adjustable to 91 - 205 mm
Bolts 4029774 or 4029775 to be ordered separately.

COMPATIBILITY

▶ € 895.00

STUD-HOLE FLANGES FOR CONE ADAPTORS

FP QUICK 4

35374



DESCRIPTION

For 4 stud rims
Pitch circle diameter infinitely adjustable from 95-182 mm
Including spring-loaded bolts
4 x 35377

COMPATIBILITY

▶ € 1066.00

STUD-HOLE FLANGES FOR CONE ADAPTORS

FP QUICK 5

35375



DESCRIPTION

For 5 stud rims
Pitch circle diameter infinitely adjustable from 95-182 mm
Including spring-loaded bolts
5 x 35378
5 x 35381

COMPATIBILITY

▶ € 1247.00

STUD-HOLE FLANGES FOR CONE ADAPTORS

FP QUICK 6

35376



DESCRIPTION

For 6 stud rims
Pitch circle diameter infinitely adjustable from 95-182 mm
Including spring-loaded bolts
6 x 35380

COMPATIBILITY

▶ € 1493.00

STUD-HOLE FLANGES FOR POWER CLAMP™ DEVICE

SET OF FP QUICK FLANGES P

EAK0315G25A



DESCRIPTION

Set consisting of wall board & FP Quick 4, 5 and 6 for 4-, 5- and 6-stud rims
Pitch circle diameter infinitely adjustable from 95-182 mm
Including spring-loaded bolts
6 x 35377, 5 x 35378, 6 x 35380, 5 x 35381

COMPATIBILITY

▶ € 4244.00

STUD-HOLE FLANGES FOR POWER CLAMP™ DEVICE

FP QUICK 4 P

EAK0315G26A



DESCRIPTION

For 4 stud rims
Pitch circle diameter infinitely adjustable from 95-182 mm
Including spring-loaded bolts
4 x 35377

COMPATIBILITY

▶ € 1251.00

STUD-HOLE FLANGES FOR POWER CLAMP™ DEVICE

FP QUICK 5 P

EAK0315G27A



DESCRIPTION

For 5 stud rims
Pitch circle diameter infinitely adjustable from 95-182 mm
Including spring-loaded bolts
5 x 35378
5 x 35381

COMPATIBILITY

▶ € 1449.00

STUD-HOLE FLANGES FOR POWER CLAMP™ DEVICE

FP QUICK 6 P

EAK0315G28A



DESCRIPTION

Pitch circle diameter infinitely adjustable from 95-182 mm
Including spring-loaded bolts
6 x 35380

▶ COMPATIBILITY

▶ € 1692.00

CENTRING BOLTS FOR STUD-HOLE FLANGE FPM-I

CENTRING BOLTS FOR UNIVERSAL FLANGE PLATE 32052

4029774



DESCRIPTION

1 Set = 5 off - Ø 24 mm - L 92 mm
Spherical centring head, not spring-suspended

▶ COMPATIBILITY

▶ € 114.00

CENTRING BOLTS FOR STUD-HOLE FLANGE FPM-I

CENTRING BOLTS FOR UNIVERSAL FLANGE PLATE 32052

4029775



DESCRIPTION

1 Set = 5 off - Ø 24 mm - L 100 mm
Centring cone, spring-suspended

▶ COMPATIBILITY

▶ € 319.00

CENTRING BOLTS FOR STUD-HOLE FLANGE FPM-I

CENTRING BOLTS FOR UNIVERSAL FLANGE PLATE 32052

EAK0279G52A



DESCRIPTION

1 Set = 5 off - Ø 24 mm - L 82.5 mm
Centring cone

▶ COMPATIBILITY

▶ € 106.00

CENTRING BOLTS FOR STUD-HOLE FLANGE FPM-I

CENTRING BOLTS FOR UNIVERSAL FLANGE PLATE 32052

EAK0279G53A



DESCRIPTION

1 Set = 5 off - Ø 22 mm - L 70 mm
Centring cone

▶ COMPATIBILITY

▶ € 106.00

CENTRING BOLTS FOR STUD-HOLE FLANGE FP QUICK AND FP QUICK P

BOLT HEAD FOR FP QUICK

35377



DESCRIPTION

1 off, short taper head
Overall length 80 mm - Ø 24.5 mm

▶ COMPATIBILITY

▶ € 22.00

CENTRING BOLTS FOR STUD-HOLE FLANGE FP QUICK AND FP QUICK P

BOLT HEAD FOR FP QUICK

35378



DESCRIPTION

1 off, spherical head
Overall length 90 mm - Ø 24.5 mm

▶ COMPATIBILITY

▶ € 22.00

CENTRING BOLTS FOR STUD-HOLE FLANGE FP QUICK AND FP QUICK P

BOLT HEAD FOR FP QUICK

35379



DESCRIPTION

1 off, Overall length 80 mm - Ø 34 mm
Special bolt for Range Rover + Land Rover

▶ COMPATIBILITY

▶ € 22.00

CENTRING BOLTS FOR STUD-HOLE FLANGE FP QUICK AND FP QUCIK P

BOLT HEAD FOR FP QUICK

35380



DESCRIPTION

1 off, long taper head
Overall length 100 mm - Ø 22.5 mm

▶ COMPATIBILITY

▶ € 22.00

CENTRING BOLTS FOR STUD-HOLE FLANGE FP QUICK AND FP QUCIK P

BOLT HEAD FOR FP QUICK

35381



DESCRIPTION

1 off, long taper head
Overall length 100 mm - Ø 19 mm


▶ COMPATIBILITY

▶ € 22.00

CENTRING BOLTS FOR STUD-HOLE FLANGE FP QUICK AND FP QUCIK P

PIN KIT - QUICK PLATES FOR AUDI

EAK0375G88A



DESCRIPTION

Kit 6 pins for HAWEKA quick plate Audi Q7 and Audi A8


▶ COMPATIBILITY

▶ € 318.00

GENERAL ACCESSORIES FOR STUD-HOLE FLANGES

WALL BOARD FOR STUD-HOLE FLANGES

EAM0103G36A



DESCRIPTION

Can store up to 3 stud-hole flanges and 3 centring rings as well as bolts
No stud-hole flanges included

▶ COMPATIBILITY

▶ € 136.00

UNIVERSAL ADAPTORS FOR CAR / LIGHT TRUCKS

SCA UNIVERSAL CLAMPING ADAPTOR

4025313



DESCRIPTION

For closed 3-, 4-, 5-stud rims;
for wheel balancers with Power Clamp device (P models) only!
For all 3-, 4- and 5-stud rims which are stud-hole located.
Pitch circles of Ø 95-215 mm are infinitely and centrally adjustable.

▶ COMPATIBILITY

▶ € 1269.00

UNIVERSAL ADAPTORS FOR CAR / LIGHT TRUCKS

SCA-1 UNIVERSAL CLAMPING ADAPTOR

4026608



DESCRIPTION

For closed 3-, 4-, 5-stud rims;
for wheel balancers with integrated flange
For all 3-, 4- and 5-stud rims which are stud-hole located.
Pitch circles of Ø 95-215 mm are infinitely and centrally adjustable.
Standard equipment in French configuration only!

▶ COMPATIBILITY

▶ € 1005.00

CENTRING RINGS FOR UNIVERSAL ADAPTOR SCA-1 / SCA

KIT OF CENTRING RINGS FOR SCA

4029256



DESCRIPTION

Consisting of:
30346 (55 mm ring)
30360 (58 mm ring)
30347 (60 mm ring)
30371 (65 mm ring)

▶ COMPATIBILITY

▶ € 306.00

CENTRING RINGS FOR UNIVERSAL ADAPTOR SCA-1 / SCA

KIT OF CENTRING RINGS FOR SCA-1

4029239



DESCRIPTION

Consisting of:
27250 (55 mm ring)
27251 (57 mm ring)
27252 (58 mm ring)
27253 (60 mm ring)
27254 (65 mm ring)

▶ COMPATIBILITY

▶ € 382.00

CENTRING RINGS FOR UNIVERSAL ADAPTOR SGA-1 / SCA

LONG CENTRING NUT (1 OFF)

30379



DESCRIPTION
For Peugeot 106-806 / Citroën

COMPATIBILITY **€ 37.00**

GENERAL ACCESSORIES FOR CAR AND MOTORCYCLE WHEELS

RIM WIDTH CALLIPERS

4007580




DESCRIPTION
For all car and motorcycle wheel balancers

COMPATIBILITY **€ 49.00**

GENERAL ACCESSORIES FOR CAR AND MOTORCYCLE WHEELS

BW 3030A WHEEL LIFT

EEWB910AEA



DESCRIPTION
- Automatically raises the wheel at the shaft height previously memorized
- It synchronizes with the balancer clamp device
- Automatically raises or lowers the wheel according to the power clamp operations
- No compressed air connection is required

COMPATIBILITY **€ 5160.00**
For B340P

GENERAL ACCESSORIES FOR CAR AND MOTORCYCLE WHEELS

BW 2010 WHEEL LIFT FOR WHEELS OF UP TO 70 KG

EAK030666A



DESCRIPTION
Wheel lift for wheels of up to 70 kg
- For use with all John Bean wheel balancers

COMPATIBILITY **€ 1303.00**

GENERAL ACCESSORIES FOR CAR AND MOTORCYCLE WHEELS

STORAGE PEGS

4027370



DESCRIPTION
Set consists of 4 hooks for stud-hole flanges / cones, etc.

COMPATIBILITY **€ 42.00**
For B9850 P, B9855 P, B9855-2 P and BFH 1000

Standard equipment of B9000, B9005, B9450, B9455, B9455-2, B9460, B9460 P, B9465, B9465 P, B9750, B9750 P, B9755, B9755 P, B9755-2, B9755-2 P as well as B100, B200, B300, B340, B400L, B500, B600, B800P, B1200P, B2000P

GENERAL ACCESSORIES FOR CAR AND MOTORCYCLE WHEELS

MAGNETIC TOOL HOLDER

EAK0317G96A




DESCRIPTION
Flexible solution to position small tools in the most comfortable place possible - For use on all wheel balancers

COMPATIBILITY **€ 57.00**

GENERAL ACCESSORIES FOR CAR AND MOTORCYCLE WHEELS

CLAMPING SLEEVE HOLDER

EAK0330G12A



DESCRIPTION
e.g. for quick nut and Power Clamp sleeve.

COMPATIBILITY **€ 64.00**
Option for B200S, B300, B340, B500, B600, B800, B1200 series

GENERAL ACCESSORIES FOR CAR AND MOTORCYCLE WHEELS

OPTILINE KIT

EAK0279G54A



DESCRIPTION
For allocation of wheels in the best possible position on the vehicle, in order to avoid tyre pull.

COMPATIBILITY **€ 1324.00**
BFH 2000 / plus / B2000P

GENERAL ACCESSORIES FOR CAR AND MOTORCYCLE WHEELS

SOFTWARE CLIENT FOR NETWORK PRINTING

EAK0317G52A



DESCRIPTION

"PC software "Network 2" to allow
- Remote data reporting
- Data backup
- Personalization of job reports, and
- Remote printing"

▶ COMPATIBILITY

▶ € 427.00

GENERAL ACCESSORIES FOR CAR AND MOTORCYCLE WHEELS

4-PORT USB HUB

3-05409A



DESCRIPTION

To increase number of ports from 1 standard port to 4.
Options connected via USB to BFH 2000 / plus / B2000P are:
OptiLine kit, RFV kit, printer and software client

▶ COMPATIBILITY

▶ € 132.00

ACCESSORIES FOR BALANCING MOTORCYCLE WHEELS - BALANCERS W/ INTEGRATED FLANGE

MOTORCYCLE WHEEL ADAPTOR

4026397



DESCRIPTION

For all balancers with integrated flange

▶ COMPATIBILITY

▶ € 1341.00

ACCESSORIES FOR BALANCING MOTORCYCLE WHEELS - BALANCERS W/ INTEGRATED FLANGE

RETROFIT KIT

30417



DESCRIPTION

"To clamp motorcycle wheels up to 21" rim diameter Standard with all motorcycle wheel adaptors from August 2004"

▶ COMPATIBILITY

▶ € 128.00

GENERAL ACCESSORIES FOR CAR AND MOTORCYCLE WHEELS

RUNOUT FORCE VECTORING™ KIT

EAK0279G55A

DESCRIPTION

For measurement of radial force variations on BFH 2000 / plus / B2000P with software 4.4.8 and higher, including dongle and tapered centring rings A, B, C, E, G and K

▶ COMPATIBILITY

BFH 2000 / plus / B2000P with software 4.4.8

▶ € 5277.00

GENERAL ACCESSORIES FOR CAR AND MOTORCYCLE WHEELS

RFV & OPTILINE & 4-PORT USB HUB KIT

EAK0306G65A

DESCRIPTION

Consisting of:
- EAK0279G55A run-out force vectoring kit
- EAK0279G54A OptiLine kit and
- 3-05409A 4-port USB hub

▶ COMPATIBILITY

BFH 2000 / plus, / B2000P

▶ € 6583.00

ACCESSORIES FOR BALANCING MOTORCYCLE WHEELS - BALANCERS W/ INTEGRATED FLANGE

WINGS

26900



DESCRIPTION

Handle for nut of motorcycle wheel adaptor 4026397 on balancers with integrated shaft

▶ COMPATIBILITY

▶ € 83.00

ACCESSORIES FOR BALANCING MOTORCYCLE WHEELS - BALANCERS W/ INTEGRATED FLANGE

14 MM SHAFT

26774



DESCRIPTION

Length 284,5mm, to be used with 4026397 on balancers with integrated shaft

▶ COMPATIBILITY

▶ € 451.00

ACCESSORIES FOR BALANCING MOTORCYCLE WHEELS - BALANCERS W/ INTEGRATED FLANGE

KIT 10 MM SHAFT

4026412




DESCRIPTION
To be used with 4026397

▶ **COMPATIBILITY** ▶ **€ 641.00**

ACCESSORIES FOR BALANCING MOTORCYCLE WHEELS - BALANCERS W/ INTEGRATED FLANGE

ADAPTOR FOR HONDA-YAMAHA GTS 1000 MONOLEVER

4026417



DESCRIPTION
For all Y2k balancers with integrated shaft

▶ **COMPATIBILITY** ▶ **€ 517.00**

ACCESSORIES FOR BALANCING MOTORCYCLE WHEELS - BALANCERS WITH POWER CLAMP™

UNIVERSAL MOTORCYCLE WHEEL ADAPTOR "P"

4028063



DESCRIPTION
For all balancers with power clamp

▶ **COMPATIBILITY** ▶ **€ 1341.00**

ACCESSORIES FOR BALANCING MOTORCYCLE WHEELS - BALANCERS WITH POWER CLAMP™

KIT 10 MM SHAFT

4028497



DESCRIPTION
Consisting of shaft Ø 10 mm, knurled nut, 2 short spacers, 2 cones, 1 long spacer
For light motorcycles of Honda and Kawasaki.
To be used for 10-12 mm centring diameters only. Shaft will badly deform under heavy wheels.

▶ **COMPATIBILITY** ▶ **€ 361.00**

ACCESSORIES FOR BALANCING MOTORCYCLE WHEELS - BALANCERS W/ INTEGRATED FLANGE

"KIT 3/4" SHAFT FOR HARLEY DAVIDSON"

4026413



DESCRIPTION
To be used with 4026397

▶ **COMPATIBILITY** ▶ **€ 502.00**

ACCESSORIES FOR BALANCING MOTORCYCLE WHEELS - BALANCERS W/ INTEGRATED FLANGE

"DUCATI ADAPTOR FOR 3/4" SHAFT"

4026420



DESCRIPTION
To be used only in conjunction with 4026414 Harley- Davidson

▶ **COMPATIBILITY** ▶ **€ 245.00**

ACCESSORIES FOR BALANCING MOTORCYCLE WHEELS - BALANCERS W/ INTEGRATED FLANGE

RETROFIT KIT

30417



DESCRIPTION
"To clamp motorcycle wheels up to 21" rim diameter Standard with all motorcycle wheel adaptors from August 2004"

▶ **COMPATIBILITY** ▶ **€ 128.00**

ACCESSORIES FOR BALANCING MOTORCYCLE WHEELS - BALANCERS WITH POWER CLAMP™

"KIT 3/4" SHAFT FOR HARLEY-DAVIDSON"

30372



DESCRIPTION
"Consisting of special adaptor shaft (3/4" dia.), knurled nut, 2 sleeves (1" outer dia.)
For Harley-Davidson"

▶ **COMPATIBILITY** ▶ **€ 390.00**

ACCESSORIES FOR ALL UNIVERSAL MOTORCYCLE WHEEL ADAPTORS

ARM PROTECTOR KIT FOR MOTORCYCLE ADAPTOR

EAK0341G68A



► **DESCRIPTION**

Pair of rubber protectors for the m/c adaptor, increasing wheel retention grip. To be used with heavy wheel to avoid slippage when spinning. Compatible with m/c adaptors 4026397, 4024935 and 4028063

► **COMPATIBILITY**

► **€ 42.00**

ACCESSORIES FOR ALL UNIVERSAL MOTORCYCLE WHEEL ADAPTORS

CENTRING SET FOR BMW MOTORCYCLE WHEELS

4026415



► **DESCRIPTION**

Consisting of: 1 centring flange / 3 centring screws / 1 socket screw wrench. For BMW motorcycles with rear wheel monolever.

► **COMPATIBILITY**

► **€ 321.00**

ACCESSORIES FOR ALL UNIVERSAL MOTORCYCLE WHEEL ADAPTORS

BMW ADAPTOR KIT

EAK0279G50A



► **DESCRIPTION**

Consisting of: 4 x special screws / 1 x Allen key For use with 4026415

► **COMPATIBILITY**

► **€ 148.00**

ACCESSORIES FOR ALL UNIVERSAL MOTORCYCLE WHEEL ADAPTORS

ADAPTOR FOR BMW MOTORCYCLES

4028853



► **DESCRIPTION**

Consisting of: 1 x basic adaptor / 1 x centring cone / 1 x clamping ring / 1 x Allen wrench (width across flats 6 mm) For BMW K25 and F650CS motorcycle rear wheels Note: Quick nut must be available!

► **COMPATIBILITY**

► **€ 829.00**

ACCESSORIES FOR ALL UNIVERSAL MOTORCYCLE WHEEL ADAPTORS

ADAPTOR FOR 14 MM SHAFT

4026219



► **DESCRIPTION**

For Moto Guzzi, NTV, Suzuki Ø 16 - Ø 45 mm (set = 2 off)

► **COMPATIBILITY**

► **€ 245.00**

ACCESSORIES FOR ALL UNIVERSAL MOTORCYCLE WHEEL ADAPTORS

CENTRING SET

4026293



► **DESCRIPTION**

For Piaggio / Vespa motor scooter wheels, for 14 mm shaft diameter

► **COMPATIBILITY**

► **€ 271.00**

ACCESSORIES FOR ALL UNIVERSAL MOTORCYCLE WHEEL ADAPTORS

ADDITIONAL SLEEVE 25 MM

30363



► **DESCRIPTION**

To be used with ball and tapered roller bearings of Ø 25 mm. Two sleeves are necessary to accommodate the wheel. For BMW K100 front wheel, Kawasaki

► **COMPATIBILITY**

► **€ 60.00**

ACCESSORIES FOR ALL UNIVERSAL MOTORCYCLE WHEEL ADAPTORS

ADDITIONAL SLEEVE 15 MM

30352



► **DESCRIPTION**

To be used with ball and tapered roller bearings of Ø 15 mm. Two sleeves are necessary to accommodate the wheel. For BMW, Yamaha, Moto Guzzi

► **COMPATIBILITY**

► **€ 78.00**

ACCESSORIES FOR BALANCING MOTORCYCLE WHEELS - BALANCERS WITH POWER CLAMP™

KIT 10 MM SHAFT

4028497



► **DESCRIPTION**

Consisting of shaft Ø 10 mm, knurled nut, 2 short spacers, 2 cones, 1 long spacer
For light motorcycles of Honda and Kawasaki.
To be used for 10-12 mm centring diameters only. Shaft will badly deform under heavy wheels.

► **COMPATIBILITY**

► **€ 361.00**

ACCESSORIES FOR BALANCING MOTORCYCLE WHEELS - BALANCERS WITH POWER CLAMP™

"KIT 3/4" SHAFT FOR HARLEY-DAVIDSON"

30372



► **DESCRIPTION**

"Consisting of special adaptor shaft (3/4" dia.), knurled nut, 2 sleeves (1" outer dia.)
For Harley-Davidson"

► **COMPATIBILITY**

► **€ 390.00**

TRUCK ACCESSORIES

TRUCK PROFESSIONAL CLAMPING KIT

4028764



► **DESCRIPTION**

4-Arm star
5-Arm star
5 Bolts
5 Knurled nuts
Stud-hole location of truck wheels with pitch circle diameters of 10 x 335 mm, 10 x 285 mm, 10 x 225 mm, 8 x 275 mm, 8 x 285 mm

► **COMPATIBILITY**

► **€ 1441.00**

TRUCK ACCESSORIES

TRUCK BOLTS

30381



► **DESCRIPTION**

(1 off) for Alcoa rims, to be used on 4-arm and 5-arm star

► **COMPATIBILITY**

► **€ 68.00**

TRUCK ACCESSORIES

5-ARM CENTRING STAR 5-ARM STAR

EAK0279G56A



► **DESCRIPTION**

5-Arm star
5 Bolts
5 Knurled nuts
Stud-hole location of truck wheels with pitch circle diameters of 10 x 335 / 10 x 285 / 10 x 225

► **COMPATIBILITY**

► **€ 751.00**

TRUCK ACCESSORIES

3-ARM CENTRING STAR

30380



► **DESCRIPTION**

3-Arm star
3 Bolts
3 Knurled nuts
Stud-hole location of truck wheels with pitch circle diameters of 170 / 184,15 / 205 / 222,25 / 245 mm
Use of pre-centring ring 30616 is recommended

► **COMPATIBILITY**

► **€ 510.00**

TRUCK ACCESSORIES

TRUCK PRE-CENTRING RING

30616



► **DESCRIPTION**

"For 202 mm bore diameter, to clamp latest light-truck rims of 17.5" and 19.5" diameter with the 3-arm centring star"

► **COMPATIBILITY**

► **€ 199.00**

CENTRING AND CLAMPING SETS FOR CONE ADAPTORS

CENTRING SET MB SPRINTER / VW CRAFTER

35380



► **DESCRIPTION**

For light trucks MB Sprinter and VW Crafter, pitch circle dia. 6 x 130 mm

► **COMPATIBILITY**

Can be used on car & truck wheel balancers

► **€ 540.00**

TRUCK ACCESSORIES

TRUCK RIM WIDTH CALLIPERS

4009488



DESCRIPTION

For truck wheels. Comes standard with geodyna 980L and 4800-2L

▶ COMPATIBILITY

▶ € 59.00

TRUCK ACCESSORIES

TRUCK STANDARD CLAMPING KIT

4028713



DESCRIPTION

Consisting of:
- Cone 198 - 225 mm
- Cone 270 - 286,5 mm

▶ COMPATIBILITY

▶ € 789.00

TOOLS

UNIVERSAL WEIGHT PLIERS

8-04250A



DESCRIPTION

To fit balance weights on the rim flange.

▶ COMPATIBILITY

▶ € 108.00

TOOLS

WEIGHT REMOVING TOOL

4025573



DESCRIPTION

For easy and gentle removing of adhesive balance weights from delicate alloy rims

▶ COMPATIBILITY

▶ € 34.00

TRUCK ACCESSORIES

CAR CONE KIT FOR TRUCK WHEEL BALANCERS

4029066



DESCRIPTION

"Consisting of:
Centring cone 42-80 mm dia.
Centring cone 72-99 mm dia.
Centring cone 3.8-4.6''' - 96-116mm dia.
Drum cushion and rubber protection"

▶ COMPATIBILITY

▶ € 453.00

TRUCK ACCESSORIES

PNEUMATIC LOADING DEVICE FOR MOTORIZED TRUCK WHEEL BALANCER

4028401



DESCRIPTION

Up to 250 kg

▶ COMPATIBILITY

▶ € 1646.00

TOOLS

CLIP LIFTING / REMOVING TOOL

30376



DESCRIPTION

Opening 19.0 and 15.5 mm
For segment weights with separate clip.

▶ COMPATIBILITY

▶ € 101.00

SERVICE TOOLS

TEST ROTOR - CAR & TRUCK WB

25406



DESCRIPTION

For checking measurement accuracy and for calibration of off-the-vehicle car wheel balancers, including calibration rod and 4 mm calibration ring

▶ COMPATIBILITY

▶ € 2514.00

SERVICE TOOLS**CALIBRATION TOOL FOR ULTRASONIC SENSOR****4029755****DESCRIPTION**

For calibration of the ultrasonic sensors of geodyna 6900-2p as well as all wheel balancers with Smart Sonar

COMPATIBILITY**€ 234.00****SERVICE TOOLS****SPACER FOR PRELOADING OF PIEZOELECTRIC TRANSDUCERS****EAA0470G84A****DESCRIPTION**

For alloy vibratory systems only, replaces EAM0117G93A and EAM0122G95A as of March 2018
Optimises the mechanical preloading of piezoelectric transducers giving a long-lasting stability to the balancer accuracy

COMPATIBILITY**€ 577.00****SERVICE TOOLS****CALIBRATOR ADAPTOR****EAG0100G88A****DESCRIPTION**

Calibrator adaptor for calibration of gauge arm on balancers with alloy vibratory system only. (Starting 2010)

COMPATIBILITY**€ 47.55****GENERAL ACCESSORIES****CABLE, BATTERY****27652****DESCRIPTION**

CABLE, BATTERY

COMPATIBILITY**€ 141.00****SERVICE TOOLS****LASER CALIBRATION DEVICE****EAA0362G16A****DESCRIPTION**

For calibration of laser and cameras of geodyna optima II / plus

COMPATIBILITY**€ 1815.00****SERVICE TOOLS****CALIBRATION BAR****25408****DESCRIPTION**

Calibration bar for calibration of geodata gauge arm

COMPATIBILITY**€ 47.53****GENERAL ACCESSORIES****"CALIBRATION RING ""P VERSION""****25424****DESCRIPTION**

"CALIBRATION RING ""P VERSION""

COMPATIBILITY**€ 42.00****GENERAL ACCESSORIES****SPRING CASING KIT****30356****DESCRIPTION**

Spring casing kit

COMPATIBILITY**€ 65.00**

GENERAL ACCESSORIES

WING NUT

30358

► **DESCRIPTION**
Wing nut



► **COMPATIBILITY** ► **€ 322.00**

GENERAL ACCESSORIES

CD VIDEO INSTRUCTION WHEEL BALANCERS

36375

► **DESCRIPTION**
CD VIDEO INSTRUCTION WHEEL BALANCERS

► **COMPATIBILITY** ► **€ 51.00**

GENERAL ACCESSORIES

HONDA / YAMAHA REAR MONOLEVER WHEEL ADAPTOR

4026416

► **DESCRIPTION**
Honda / Yamaha rear monolever wheel adaptor



► **COMPATIBILITY** ► **€ 517.00**

GENERAL ACCESSORIES

APRILIA REAR MONOLEVER WHEEL ADAPTOR

4026418

► **DESCRIPTION**
Aprilia rear monolever wheel adaptor



► **COMPATIBILITY** ► **€ 517.00**

GENERAL ACCESSORIES

MCD KIT FOR BALANCERS

4027940

► **DESCRIPTION**
MCD KIT FOR BALANCERS



► **COMPATIBILITY** ► **€ 851.00**

TRUCK ACCESSORIES

PNEUMATIC LOADING DEVICE FOR MOTORIZED TRUCK WHEEL BALANCER

4028401

► **DESCRIPTION**
Up to 250 kg



► **COMPATIBILITY** ► **€ 1646.00**

GENERAL ACCESSORIES

TRUCK PROF. CLAMPING KIT N.A.

4029000

► **DESCRIPTION**
TRUCK PROF. CLAMPING KIT N.A.



► **COMPATIBILITY** ► **€ 1441.00**

GENERAL ACCESSORIES

SHAFT 18 MM FOR GBRM STANDARD KIT

4029656

► **DESCRIPTION**
SHAFT 18 MM FOR GBRM STANDARD KIT



► **COMPATIBILITY** ► **€ 502.00**

GENERAL ACCESSORIES

CAMERA CHECK TOOL

EAA0425G93A

► **DESCRIPTION**
Camera Check Tool



► **COMPATIBILITY** ► **€ 1675.00**

GENERAL ACCESSORIES

EXTERNAL TRANSFORMER

EAA0458G54A

► **DESCRIPTION**
External Transformer

► **COMPATIBILITY** ► **€ 467.00**

GENERAL ACCESSORIES

KIT PROTECTIONS FOR REAR CAMERAS

EAK0317G62A

► **DESCRIPTION**
KIT PROTECTIONS FOR REAR CAMERAS



► **COMPATIBILITY** ► **€ 197.00**

GENERAL ACCESSORIES

UPGRADE KIT FOR FP QUICK FLANGES P S. IV

EAK0329G10A

► **DESCRIPTION**
Upgrade kit for FP Quick Flanges P s. IV



► **COMPATIBILITY** ► **€ 575.00**

GENERAL ACCESSORIES

KIT EXTERNAL TRANSFORMER

EAK0329G90A

► **DESCRIPTION**
KIT EXTERNAL TRANSFORMER

► **COMPATIBILITY** ► **€ 385.00**

GENERAL ACCESSORIES

KIT TOOLS CHECK SWITCH POSITION SA/L5

EAK0390G07A

► **DESCRIPTION**
KIT TOOLS CHECK SWITCH POSITION SA/L5

► **COMPATIBILITY** ► **€ 388.00**

GENERAL ACCESSORIES

WEIGHT ROLLER HOLDER KIT

EAK0390G26A

► **DESCRIPTION**
WEIGHT ROLLER HOLDER KIT

► **COMPATIBILITY** ► **€ 156.00**

GENERAL ACCESSORIES

CENTRING CONE Ø 42-80 MM

EAM0122G74A

► **DESCRIPTION**
For rims with centre bore of Ø 73-98 mm.
For wheel balancers with 40 mm shaft.

► **COMPATIBILITY** ► **€ 88.00**

AT A GLANCE - CAR, MOTORCYCLE AND TRUCK WHEELS

Machine Accessory Ref. N°	Machine															
	geodyna 7100 + 7100m	geodyna 7100m	geodyna® 7200 / s	geodyna 7300 / p	geodyna 7500 / p geodyna 7500 / p	geodyna 7340 / p	geodyna 7600 / p	geodyna 6300 -2 / p	geodyna 6800-2 / p geodyna 7500 / p	geodyna 7700 / 7700p geodyna 7750p	geodyna 7800p / 7850p / 7800-2p / 7850-2p	geodyna 8200p / 8250p geodyna 8200p / 8250p	geodyna 9000p geodyna 7500 / p	geodyna 980L	geodyna 4800-2L	
MZV-4 cone adaptor 4028845	-	-	-	-	-	-	-	*/-	*/-	-	-	-	-	-	-	
Clamping plate 25314	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Stud-hole flanges	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Centring cones for cars	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Centring cones for light trucks	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Centring rings / tapered rings	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
SCA wheel adaptor 4025313	-	-	-	-/•	-/•	-/•	-/•	•	•	•	•	•	•	•	•	
SCA-I wheel adaptor 4026608	•	•	•	•/-	•/-	•/-	•/-	-	-	-	-	-	-	-	-	
Mot. adaptor standard 4024935	-	-	-	-	-	-	-	•/-	•/-	•/-	-	-	-	•	•	
Mot. adaptor p 4028063	-	-	-	-/•	-/•	-/•	-/•	-/•	-/•	-/•	-	-	-	-	-	
Mot. adaptor I 4026397	•/*	*	•	•/-	•/-	•/-	•/-	-	-	-	-	-	-	-	-	
Storage pegs 4027370	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Rim width callipers 4007580	*	•	*/•	•	•	•	•	•	•	•	•	•	•	•	•	
Universal weight pliers 6452	*	*	*	*	*	*	*	*	*	*	*	*	*	*	•	
Clip removing tool 30376	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Adh. weight removing tool 4025573	•	•	•	•	•	•	•	*	*	•	•	•	*	•	•	
Mech. tyre claw 30368	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
TRUCK STANDARD kit 4028713														•	•	
TRUCK PROFESSIONAL kit 4028764														•	•	
3-arm centring star kit 30380														•	•	
5-arm centring star kit EAK0279G56A														•	•	
Truck rim width callipers 4009488														*	*	

• Can be used

* Is part of standard equipment

Recommendation for Car-Specific Clamping Means

Good centring / car wheels (not for closed rims)	Perfect centring / car wheels	Perfect centring / car / light truck / SUV / 4WD wheels	Ref. no.
Stud-hole flange recommendation refers to series FP or US alternatively! Furthermore clamping plate 25314 is recommended for gentle clamping of alloy rims.			
AMG See MERCEDES-BENZ			
ACURA			
Tapered ring B	Tapered ring B		26446
Tapered ring F	Tapered ring F		26450
Tapered ring G	Tapered ring G		26451
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange FP 6		4028203
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.1		4028271
	Stud-hole flange US 5.2		4028265
ALFA ROMEO			
Tapered ring A	Tapered ring A		26445
Tapered ring F	Tapered ring F		26450
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.1		4028200
ASTON MARTIN			
Tapered ring B	Tapered ring B		26446
Tapered ring C	Tapered ring C		26447
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange FP 5.3		4028202
	Stud-hole flange US 5.1		4028271
	Stud-hole flange US 5.2		4028265
	Centring cone		8-2491A
AUDI			
Tapered ring A	Tapered ring A		26445
Tapered ring C	Tapered ring C		26447
Tapered ring I	Tapered ring I	Tapered ring I	30348
	Stud-hole flange VAG	Stud-hole flange VAG	4029029
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.1		4028271
	Stud-hole flange US 5.2		4028265
AUSTIN-HEALEY			
	Centring cone		8-2491A
	Centring ring		8-2591A
BMW			
Tapered ring A	Tapered ring A		26445
Tapered ring C	Tapered ring C		26447
	Stepped tapered ring 56 / 57 / 72.5 / 74 mm		30345
	Stud-hole flange FP BMW		4028860
	Long bolts for BMW X5		EAK0279G46A
	BMW kit 2013+		EAK0306G43A
	BMW clamping kit		8-02691A

Recommendation for Car-Specific Clamping Means

Good centring / car wheels (not for closed rims)	Perfect centring / car wheels	Perfect centring / car / light truck / SUV / 4WD wheels	Ref. no.
Stud-hole flange recommendation refers to series FP or US alternatively! Furthermore clamping plate 25314 is recommended for gentle clamping of alloy rims.			
BMW ALPINA			
Tapered ring C	Tapered ring C Stepped tapered ring 56 / 57 / 72.5 / 74 mm Stud-hole flange FP BMW BMW clamping kit		26447 30345 4028860 8-02691A
BENTLEY			
Tapered ring C	Tapered ring C Stud-hole flange FP 5.2 Stud-hole flange US 5.1		26447 4028201 4028271
BUGATTI			
See VOLKSWAGEN			
BUICK			
Tapered ring A	Tapered ring A		26445
Tapered ring F	Tapered ring F		26450
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange FP 5.3		4028202
	Stud-hole flange US 5.1		4028271
	Stud-hole flange US 5.2		4028265
	Stud-hole flange US 6-8		4028266
CADILLAC			
Tapered ring A	Tapered ring A		26445
Tapered ring F	Tapered ring F		26450
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange FP 5.3		4028202
	Stud-hole flange FP 6		4028203
	Stud-hole flange US 5.1		4028271
	Stud-hole flange US 5.2		4028265
	Stud-hole flange US 6-8		4028266
CHEVROLET / GEO			
Tapered ring A	Tapered ring A	Tapered ring A	26445
Tapered ring D	Tapered ring D	Tapered ring D	26448
Tapered ring F	Tapered ring F	Tapered ring F	26450
Tapered ring H	Tapered ring H	Tapered ring H	26452
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP 5.1	Stud-hole flange FP 5.1	4028200
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange FP 5.3	Stud-hole flange FP 5.3	4028202
	Stud-hole flange FP 6	Stud-hole flange FP 6	4028203
	Stud-hole flange US 4	Stud-hole flange US 4	4028264
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Stud-hole flange US 5.2	Stud-hole flange US 5.2	4028265
	Stud-hole flange US 6-8	Stud-hole flange US 6-8	4028266

Recommendation for Car-Specific Clamping Means

Good centring / car wheels (not for closed rims)	Perfect centring / car wheels	Perfect centring / car / light truck / SUV / 4WD wheels	Ref. no.
Stud-hole flange recommendation refers to series FP or US alternatively! Furthermore clamping plate 25314 is recommended for gentle clamping of alloy rims.			
CHRYSLER			
Tapered ring A	Tapered ring A		26445
Tapered ring C	Tapered ring C		26447
Tapered ring G	Tapered ring G		26451
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.1		4028271
	Stud-hole flange US 5.2		4028265
	Stud-hole flange US 6-8		4028266
CITROEN (PSA)			
Tapered ring A	Tapered ring A	Tapered ring A	26445
Tapered ring B	Tapered ring B	Tapered ring B	26446
Tapered ring C	Tapered ring C	Tapered ring C	26447
Tapered ring G	Tapered ring G	Tapered ring G	26451
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP 5.1	Stud-hole flange FP 5.1	4028200
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange US 4	Stud-hole flange US 4	4028264
	Stud-hole flange US 5.2	Stud-hole flange US 5.2	4028265
	For closed rims:		
	Universal adaptor SCA	Universal adaptor SCA	4025313
	Centring ring set for SCA	Centring ring set for SCA	4029256
		Light-truck wheels only:	
		Centring cone	24936
		Spacer ring	24937
		Stud-hole flange FP 6	4028203
		Threaded centring bolt for light-truck wheels	29097
DACIA See RENAULT			
DAEWOO			
Tapered ring A	Tapered ring A		26445
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.1		4028271
DAIHATSU			
Tapered ring D	Tapered ring D	Tapered ring D	26448
Tapered ring E	Tapered ring E	Tapered ring E	26449
Tapered ring G	Tapered ring G	Tapered ring G	26451
Tapered ring H	Tapered ring H	Tapered ring H	26452
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP 4.2	Stud-hole flange FP 4.2	4028199
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange FP OR	Stud-hole flange FP OR	4028204
	Stud-hole flange US 4	Stud-hole flange US 4	4028264
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Stud-hole flange US 5.2	Stud-hole flange US 5.2	4028265

Recommendation for Car-Specific Clamping Means

Good centring / car wheels (not for closed rims)	Perfect centring / car wheels	Perfect centring / car / light truck / SUV / 4WD wheels	Ref. no.
<p>Stud-hole flange recommendation refers to series FP or US alternatively! Furthermore clamping plate 25314 is recommended for gentle clamping of alloy rims.</p>			
DODGE			
Tapered ring A	Tapered ring A	Tapered ring A	26445
Tapered ring C	Tapered ring C	Tapered ring C	26447
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP 4.2	Stud-hole flange FP 4.2	4028199
	Stud-hole flange FP 5.1	Stud-hole flange FP 5.1	4028200
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange FP 6	Stud-hole flange FP 6	4028203
	Stud-hole flange US 4	Stud-hole flange US 4	4028264
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Stud-hole flange US 5.2	Stud-hole flange US 5.2	4028265
	Stud-hole flange US 6-8	Stud-hole flange US 6-8	4028266
	Universal adaptor SCA	Universal adaptor SCA	4025313
EAGLE			
Tapered ring A	Tapered ring A		26445
Tapered ring E	Tapered ring E		26449
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.1		4028271
FERRARI			
Tapered ring E	Tapered ring E		26449
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange US 5.2		4028265
FIAT			
Tapered ring A	Tapered ring A	Tapered ring A	26445
Tapered ring B	Tapered ring B	Tapered ring B	26446
Tapered ring C	Tapered ring C	Tapered ring C	26447
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP 5.1	Stud-hole flange FP 5.1	4028200
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	For closed rims:		
	Universal adaptor SCA	Universal adaptor SCA	4025313
	Centring ring set	Centring ring set	4029256
		Light-truck wheels only:	
		Centring cone	24936
		Spacer ring	24937
		Stud-hole flange FP 6	4028203
		Threaded centring bolt for light-truck wheels	29097

Recommendation for Car-Specific Clamping Means

Good centring / car wheels (not for closed rims)	Perfect centring / car wheels	Perfect centring / car / light truck / SUV / 4WD wheels	Ref. no.
Stud-hole flange recommendation refers to series FP or US alternatively! Furthermore clamping plate 25314 is recommended for gentle clamping of alloy rims.			
FORD			
Tapered ring A	Tapered ring A	Tapered ring A	26445
Tapered ring B	Tapered ring B	Tapered ring B	26446
Tapered ring D	Tapered ring D	Tapered ring D	26448
Tapered ring E	Tapered ring E	Tapered ring E	26449
Tapered ring F	Tapered ring F	Tapered ring F	26450
Tapered ring H	Tapered ring H	Tapered ring H	26452
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP 4.2	Stud-hole flange FP 4.2	4028199
	Stud-hole flange FP 5.1	Stud-hole flange FP 5.1	4028200
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange FP 5.3	Stud-hole flange FP 5.3	4028202
	Stud-hole flange US 4	Stud-hole flange US 4	4028264
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Stud-hole flange US 5.2	Stud-hole flange US 5.2	4028265
	Stud-hole flange US 6-8	Stud-hole flange US 6-8	4028266
		Light-truck wheels only:	
		Centring cone	24936
		Spacer ring	24937
		Stud-hole flange FP 4.2	4028199
		Stud-hole flange US 6-8	4028266
		Threaded centring bolt for light-truck wheels	29097
GAZ			
	Stud-hole flange FP OR		4028204
	Threaded centring bolt for light-truck wheels		29097
GEO			
Tapered ring D	Tapered ring D		26448
Tapered ring H	Tapered ring H		26452
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.2		4028265
GMC			
Tapered ring F	Tapered ring F	Tapered ring F	26450
	Stud-hole flange FP 4.2	Stud-hole flange FP 4.2	4028199
	Stud-hole flange FP 5.1	Stud-hole flange FP 5.1	4028200
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange FP 6	Stud-hole flange FP 6	4028203
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Stud-hole flange US 5.2	Stud-hole flange US 5.2	4028265
	Stud-hole flange US 6-8	Stud-hole flange US 6-8	4028266
GM HOLDEN			
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange US 5.1		4028271
HONDA			
Tapered ring B	Tapered ring B	Tapered ring B	26446
Tapered ring C	Tapered ring C	Tapered ring C	26447
Tapered ring F	Tapered ring F	Tapered ring F	26450
Tapered ring G	Tapered ring G	Tapered ring G	26451
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP 4.2	Stud-hole flange FP 4.2	4028199
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange FP OR	Stud-hole flange FP OR	4028204
	Stud-hole flange US 4	Stud-hole flange US 4	4028264
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Stud-hole flange US 6-8	Stud-hole flange US 6-8	4028266

Recommendation for Car-Specific Clamping Means

Good centring / car wheels (not for closed rims)	Perfect centring / car wheels	Perfect centring / car / light truck / SUV / 4WD wheels	Ref. no.
<p>Stud-hole flange recommendation refers to series FP or US alternatively! Furthermore clamping plate 25314 is recommended for gentle clamping of alloy rims.</p>			
HUMMER			
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange US 6-8		4028266
HYUNDAI			
Tapered ring D		Tapered ring D	26448
Tapered ring E		Tapered ring E	26449
Tapered ring H		Tapered ring H	26452
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange FP 5.3		4028202
	Stud-hole flange FP OR		4028204
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.1		4028271
	Stud-hole flange US 5.2		4028265
	Stud-hole flange US 6-8		4028266
INFINITI			
Tapered ring E	Tapered ring E		26449
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange FP 6		4028203
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.1		4028271
	Stud-hole flange US 6-8		4028266
ISUZU			
Tapered ring A	Tapered ring A	Tapered ring A	26445
Tapered ring B	Tapered ring B	Tapered ring B	26446
Tapered ring F	Tapered ring F	Tapered ring F	26450
Tapered ring H	Tapered ring H	Tapered ring H	26452
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP 5.1	Stud-hole flange FP 5.1	4028200
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange FP 6	Stud-hole flange FP 6	4028203
	Stud-hole flange US 4	Stud-hole flange US 4	4028264
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Stud-hole flange US 6-8	Stud-hole flange US 6-8	4028266
	Light-truck wheels only:		
	Centring cone		24936
	Spacer ring		24937
JAGUAR			
Tapered ring B	Tapered ring B		26446
Tapered ring C	Tapered ring C		26447
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange US 5.1		4028271
	Stud-hole flange US 5.2		4028265
JEEP			
Tapered ring C	Tapered ring C	Tapered ring C	26447
	Stud-hole flange FP 4.2	Stud-hole flange FP 4.2	4028199
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange FP 6	Stud-hole flange FP 6	4028203
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Stud-hole flange US 6-8	Stud-hole flange US 6-8	4028266

WHEEL BALANCERS

CONTINUED: HOFMANN Recommendation for Car-Specific Clamping Means

Good centring / car wheels (not for closed rims)	Perfect centring / car wheels	Perfect centring / car / light truck / SUV / 4WD wheels	Ref. no.
<p>Stud-hole flange recommendation refers to series FP or US alternatively! Furthermore clamping plate 25314 is recommended for gentle clamping of alloy rims.</p>			
KIA			
Tapered ring B Tapered ring D Tapered ring E Tapered ring G Tapered ring H	Tapered ring B Tapered ring D Tapered ring E Tapered ring G Tapered ring H Stud-hole flange FP 4.1 Stud-hole flange FP 5.2 Stud-hole flange FP OR Stud-hole flange US 4 Stud-hole flange US 5.1 Stud-hole flange US 5.2 Stud-hole flange US 6-8	Tapered ring B Tapered ring D Tapered ring E Tapered ring G Tapered ring H Stud-hole flange FP 4.1 Stud-hole flange FP 5.2 Stud-hole flange FP OR Stud-hole flange US 4 Stud-hole flange US 5.1 Stud-hole flange US 5.2 Stud-hole flange US 6-8	26446 26448 26449 26451 26452 4028198 4028201 4028204 4028264 4028271 4028265 4028266
LADA			
Tapered ring A Tapered ring D Tapered ring H	Tapered ring A Tapered ring D Tapered ring H Stud-hole flange FP 4.1 Stud-hole flange FP 5.1 Stud-hole flange US 4 Stud-hole flange US 5.2	Tapered ring A Tapered ring D Tapered ring H Stud-hole flange FP 4.1 Stud-hole flange FP 5.1 Stud-hole flange US 4 Stud-hole flange US 5.2	26445 26448 26452 4028198 4028200 4028264 4028265
LAMBORGHINI			
Tapered ring F	Tapered ring F Stud-hole flange FP 5.2		26450 4028201
LANCIA			
Tapered ring A Tapered ring E	Tapered ring A Tapered ring E Stud-hole flange FP 4.1 Stud-hole flange FP 5.1 Stud-hole flange US 5.2		26445 26449 4028198 4028200 4028265
LAND ROVER			
Tapered ring B Tapered ring C	Tapered ring B Tapered ring C Stud-hole flange FP 5.2 Stud-hole flange FP 5.3 Stud-hole flange US 5.1	Tapered ring B Tapered ring C Stud-hole flange FP 5.2 Stud-hole flange FP 5.3 Stud-hole flange US 5.1	26446 26447 4028201 4028202 4028271
LEXUS			
Tapered ring C Tapered ring D Tapered ring H	Tapered ring C Tapered ring D Tapered ring H Stud-hole flange FP 5.1 Stud-hole flange FP 5.2 Stud-hole flange FP 6 Stud-hole flange US 5.1 Stud-hole flange US 5.2 Stud-hole flange US 6-8	Tapered ring C Tapered ring D Tapered ring H Stud-hole flange FP 5.1 Stud-hole flange FP 5.2 Stud-hole flange FP 6 Stud-hole flange US 5.1 Stud-hole flange US 5.2 Stud-hole flange US 6-8	26447 26448 26452 4028200 4028201 4028203 4028271 4028265 4028266
LINCOLN			
Tapered ring B Tapered ring F	Tapered ring B Tapered ring F Stud-hole flange FP 5.1 Stud-hole flange FP 5.2 Stud-hole flange FP 5.3 Stud-hole flange US 5.1 Stud-hole flange US 5.2		26446 26450 4028200 4028201 4028202 4028271 4028265

WHEEL BALANCERS

CONTINUED: HOFMANN Recommendation for Car-Specific Clamping Means

Good centring / car wheels (not for closed rims)	Perfect centring / car wheels	Perfect centring / car / light truck / SUV / 4WD wheels	Ref. no.
Stud-hole flange recommendation refers to series FP or US alternatively! Furthermore clamping plate 25314 is recommended for gentle clamping of alloy rims.			
LOTUS			
Tapered ring A	Tapered ring A		26445
Tapered ring D	Tapered ring D		26448
Tapered ring E	Tapered ring E		26449
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.1		4028271
MASERATI			
Tapered ring E	Tapered ring E		26449
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.1		4028271
MAYBACH			
Tapered ring I	Tapered ring I		30348
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange US 5.1		4028271
MAZDA			
Tapered ring D	Tapered ring D	Tapered ring D	26448
Tapered ring E	Tapered ring E	Tapered ring E	26449
Tapered ring F	Tapered ring F	Tapered ring F	26450
Tapered ring H	Tapered ring H	Tapered ring H	26452
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange FP 6	Stud-hole flange FP 6	4028203
	Stud-hole flange US 4	Stud-hole flange US 4	4028264
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Stud-hole flange US 6-8	Stud-hole flange US 6-8	4028266
MERCEDES-BENZ			
Centring kit	Centring kit	Centring kit	EAK0315G21A
Tapered ring I	Tapered ring I	Tapered ring I	30348
Tapered ring K	Tapered ring K	Tapered ring K	30669
	Stud-hole flange FP 5.1	Stud-hole flange FP 5.1	4028200
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Set of centring bolts	Set of centring bolts	EAK0279G58A
	Stud-hole flange FPM-I	Stud-hole flange FPM-I	32052
	Centring bolts for FPM-I		4029774
		Light-truck wheels only:	
		Stud-hole flange FP 5.3	4028202
		Stud-hole flange FP 6	4028203
		Stud-hole flange US 5.2	4028265
		Threaded centring bolt for light-truck wheels	29097
		Centring kit MB Sprinter	35382
		Centring kit MB Sprinter	35383

WHEEL BALANCERS

CONTINUED: HOFMANN Recommendation for Car-Specific Clamping Means

Good centring / car wheels (not for closed rims)	Perfect centring / car wheels	Perfect centring / car / light truck / SUV / 4WD wheels	Ref. no.
Stud-hole flange recommendation refers to series FP or US alternatively! Furthermore clamping plate 25314 is recommended for gentle clamping of alloy rims.			
MERCURY			
Tapered ring B	Tapered ring B		26446
Tapered ring D	Tapered ring D		26448
Tapered ring E	Tapered ring E		26449
Tapered ring F	Tapered ring F		26450
Tapered ring H	Tapered ring H		26452
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.1		4028271
	Stud-hole flange US 5.2		4028265
MG			
Tapered ring A	Tapered ring A		26445
Tapered ring C	Tapered ring C		26447
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 4.2		4028199
	Stud-hole flange US 4		4028264
MINI			
Tapered ring G	Tapered ring G		26451
	Stud-hole flange FP 4.1		4028198
	BMW 2013+ kit		EAK0306G43A
MITSUBISHI			
Tapered ring E	Tapered ring E	Tapered ring E	26449
Tapered ring G	Tapered ring G	Tapered ring G	26451
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange US 4	Stud-hole flange US 4	4028264
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
		Light-truck wheels only:	
		Centring cone	24936
		Spacer ring	24937
		Stud-hole flange FP 6	4028203
		Stud-hole flange US 6-8	4028266
MORGAN			
Tapered ring D	Tapered ring D		26448
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange US 5.1		4028271
MOSKWITSCH			
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.3		4028202
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.2		4028265
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange FP 5.3		4028202
	Stud-hole flange US 5.1		4028271
	Stud-hole flange US 5.2		4028265

WHEEL BALANCERS

CONTINUED: HOFMANN Recommendation for Car-Specific Clamping Means

Good centring / car wheels (not for closed rims)	Perfect centring / car wheels	Perfect centring / car / light truck / SUV / 4WD wheels	Ref. no.
Stud-hole flange recommendation refers to series FP or US alternatively! Furthermore clamping plate 25314 is recommended for gentle clamping of alloy rims.			
NISSAN			
Tapered ring C	Tapered ring C	Tapered ring C	26447
Tapered ring D	Tapered ring D	Tapered ring D	26448
Tapered ring E	Tapered ring E	Tapered ring E	26449
Tapered ring F	Tapered ring F	Tapered ring F	26450
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP 5.1	Stud-hole flange FP 5.1	4028200
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange FP 5.3	Stud-hole flange FP 5.3	4028202
	Stud-hole flange FP OR	Stud-hole flange FP OR	4028204
	Stud-hole flange US 4	Stud-hole flange US 4	4028264
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Stud-hole flange US 5.2	Stud-hole flange US 5.2	4028265
	Stud-hole flange US 6-8	Stud-hole flange US 6-8	4028266
OLDSMOBILE			
Tapered ring A	Tapered ring A	Tapered ring A	26445
Tapered ring F	Tapered ring F	Tapered ring F	26450
	Stud-hole flange FP 5.1	Stud-hole flange FP 5.1	4028200
	Stud-hole flange FP 5.3	Stud-hole flange FP 5.3	4028202
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Stud-hole flange US 5.2	Stud-hole flange US 5.2	4028265
OPEL			
Tapered ring A	Tapered ring A		26445
Tapered ring B	Tapered ring B		26446
Tapered ring C	Tapered ring C		26447
Tapered ring D	Tapered ring D		26448
Tapered ring F	Tapered ring F		26450
	Centring ring 57 mm / 70,2 mm		EAK0279G37A
	Centring ring 67 mm / 84 - 85 mm		EAK0279G38A
	Stud-hole flangeFP Opel 5		EAK0279G36A
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange FP 5.3		4028202
	Stud-hole flange FP 6		4028203
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.1		4028271
	Stud-hole flange US 5.2		4028265
	Stud-hole flange US 6-8		4028266
PEUGEOT (PSA)			
Tapered ring B	Tapered ring B		26446
Tapered ring C	Tapered ring C		26447
Tapered ring F	Tapered ring F		26450
Tapered ring G	Tapered ring G		26451
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.2		4028265
	For closed rims:		
	Universal adaptor SCA		4025313
	Centring ring set		4029256

CONTINUED: HOFMANN Recommendation for Car-Specific Clamping Means

Good centring / car wheels (not for closed rims)	Perfect centring / car wheels	Perfect centring / car / light truck / SUV / 4WD wheels	Ref. no.
Stud-hole flange recommendation refers to series FP or US alternatively! Furthermore clamping plate 25314 is recommended for gentle clamping of alloy rims.			
PLYMOUTH			
Tapered ring A	Tapered ring A		26445
Tapered ring C	Tapered ring C		26447
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.1		4028271
	Stud-hole flange US 5.2		4028265
PONTIAC			
Tapered ring A	Tapered ring A		26445
Tapered ring F	Tapered ring F		26450
Tapered ring H	Tapered ring H		26452
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange FP 5.3		4028202
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.1		4028271
	Stud-hole flange US 5.2		4028265
PORSCHE			
Tapered ring A	Tapered ring A		26445
Tapered ring C	Tapered ring C		26447
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.2		4028265
PROTON			
Tapered ring G	Tapered ring G		26451
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange US 4		4028264
RENAULT			
Tapered ring D	Tapered ring D	Tapered ring D	26448
	Centring ring 60 mm / 66 / 71 mm		EAK0279G35A
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP 4.2	Stud-hole flange FP 4.2	4028199
	Stud-hole flange FP 5.1	Stud-hole flange FP 5.1	4028200
	Stud-hole flange FP 5.3	Stud-hole flange FP 5.3	4028202
	Stud-hole flange US 4	Stud-hole flange US 4	4028264
	Stud-hole flange US 5.2	Stud-hole flange US 5.2	4028265
	For closed rims:		
	Universal adaptor SCA	Universal adaptor SCA	4025313
	Centring ring set	Centring ring set	4029256
		For light-truck wheels:	
		Flange	H6411424
		Centring ring Ø 142 mm	4028858

CONTINUED: HOFMANN Recommendation for Car-Specific Clamping Means

Good centring / car wheels (not for closed rims)	Perfect centring / car wheels	Perfect centring / car / light truck / SUV / 4WD wheels	Ref. no.
Stud-hole flange recommendation refers to series FP or US alternatively! Furthermore clamping plate 25314 is recommended for gentle clamping of alloy rims.			
ROLLS-ROYCE			
Tapered ring C	Tapered ring C Stud-hole flange FP 5.1 Stud-hole flange FP 5.2 Stud-hole flange FP 5.3 Stud-hole flange US 5.1 Stud-hole flange US 5.2		26447 4028200 4028201 4028202 4028271 4028265
NAC MG (former ROVER)			
Tapered ring A Tapered ring B Tapered ring G	Tapered ring A Tapered ring B Tapered ring G Stud-hole flange FP 4.1 Stud-hole flange FP 4.2 Stud-hole flange FP 5.1 Stud-hole flange FP 5.2 Stud-hole flange US 4 Stud-hole flange US 5.1		26445 26446 26451 4028198 4028199 4028200 4028201 4028264 4028271
SAAB			
Tapered ring B Tapered ring F	Tapered ring B Tapered ring F Stud-hole flange FP 4.1 Stud-hole flange FP 5.3 Stud-hole flange US 4 Stud-hole flange US 5.1		26446 26450 4028198 4028202 4028264 4028271
SATURN			
Tapered ring A Tapered ring B	Tapered ring A Tapered ring B Stud-hole flange FP 4.1 Stud-hole flange US 4		26445 26446 4028198 4028264
SEAT			
Tapered ring A	Tapered ring A Stud-hole flange VAG Stud-hole flange FP 4.1 Stud-hole flange FP 5.1 Stud-hole flange US 4 Stud-hole flange US 5.1 Stud-hole flange US 5.2	Stud-hole flange VAG	26445 4029029 4028198 4028200 4028264 4028271 4028265
SKODA			
Tapered ring A	Tapered ring A Tapered ring MB2 Stud-hole flange VAG Stud-hole flange FP 4.1 Stud-hole flange FP 5.1 Stud-hole flange US 4 Stud-hole flange US 5.1	Stud-hole flange VAG	26445 30669 4029029 4028198 4028200 4028264 4028271
SMART			
Tapered ring D	Tapered ring D Stud-hole flange FP OR Stud-hole flange US 4		26448 4028204 4028264
SSANGYONG			
	Stud-hole flange FP OR Stud-hole flange US 6-8		4028204 4028266

CONTINUED: HOFMANN Recommendation for Car-Specific Clamping Means

Good centring / car wheels (not for closed rims)	Perfect centring / car wheels	Perfect centring / car / light truck / SUV / 4WD wheels	Ref. no.
Stud-hole flange recommendation refers to series FP or US alternatively! Furthermore clamping plate 25314 is recommended for gentle clamping of alloy rims.			
SUBARU			
Tapered ring B	Tapered ring B	Tapered ring B	26446
Tapered ring D	Tapered ring D	Tapered ring D	26448
Tapered ring F	Tapered ring F	Tapered ring F	26450
Tapered ring G	Tapered ring G	Tapered ring G	26451
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP 5.1	Stud-hole flange FP 5.1	4028200
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange US 4	Stud-hole flange US 4	4028264
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Stud-hole flange US 5.2	Stud-hole flange US 5.2	4028265
SUZUKI			
Tapered ring D	Tapered ring D	Tapered ring D	26448
Tapered ring H	Tapered ring H	Tapered ring H	26452
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP OR	Stud-hole flange FP OR	4028204
	Stud-hole flange US 4	Stud-hole flange US 4	4028264
	Stud-hole flange US 5.2	Stud-hole flange US 5.2	4028265
TOYOTA			
Tapered ring D	Tapered ring D	Tapered ring D	26448
Tapered ring E	Tapered ring E	Tapered ring E	26449
Tapered ring G	Tapered ring G	Tapered ring G	26451
Tapered ring H	Tapered ring H	Tapered ring H	26452
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP 4.2	Stud-hole flange FP 4.2	4028199
	Stud-hole flange FP 5.1	Stud-hole flange FP 5.1	4028200
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange FP 6	Stud-hole flange FP 6	4028203
	Stud-hole flange US 4	Stud-hole flange US 4	4028264
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Stud-hole flange US 5.2	Stud-hole flange US 5.2	4028265
	Stud-hole flange US 6-8	Stud-hole flange US 6-8	4028266
		For light-truck wheels:	
		Centring cone	24936
		Spacer ring	24937
TRABANT			
	Stud-hole flange FP 4.2		4028199
TVR			
Tapered ring B	Tapered ring B		26446
Tapered ring F	Tapered ring F		26450
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.1		4028271
VAUXHALL			
Tapered ring A	Tapered ring A		26445
Tapered ring F	Tapered ring F		26450
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.2		4028201
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.1		4028271

CONTINUED: HOFMANN Recommendation for Car-Specific Clamping Means

Good centring / car wheels (not for closed rims)	Perfect centring / car wheels	Perfect centring / car / light truck / SUV / 4WD wheels	Ref. no.
Stud-hole flange recommendation refers to series FP or US alternatively! Furthermore clamping plate 25314 is recommended for gentle clamping of alloy rims.			
VOLKSWAGEN			
Tapered ring A	Tapered ring A	Tapered ring A	26445
Tapered ring B	Tapered ring B	Tapered ring B	26446
Tapered ring C	Tapered ring C	Tapered ring C	26447
Tapered ring E	Tapered ring E	Tapered ring E	26449
Tapered ring MB2	Tapered ring MB2	Tapered ring MB2	30669
	Stud-hole flange VAG	Stud-hole flange VAG	4029029
	Stud-hole flange FP 4.1	Stud-hole flange FP 4.1	4028198
	Stud-hole flange FP 5.1	Stud-hole flange FP 5.1	4028200
	Stud-hole flange FP 5.2	Stud-hole flange FP 5.2	4028201
	Stud-hole flange FP 5.3	Stud-hole flange FP 5.3	4028202
	Stud-hole flange US 4	Stud-hole flange US 4	4028264
	Stud-hole flange US 5.1	Stud-hole flange US 5.1	4028271
	Stud-hole flange US 5.2	Stud-hole flange US 5.2	4028265
		For vans:	
		Centring cone	24936
		Spacer ring	24937
		Stud-hole flange FP 6	4028203
		Stud-hole flange US 6-8	4028266
		Threaded centring bolt for light-truck wheels	29097
		Centring kit VW Crafter	35382
		Centring kit VW Crafter	35383
VOLVO			
Tapered ring B	Tapered ring B		26446
Tapered ring E	Tapered ring E		26449
Tapered ring H	Tapered ring H		26452
	Stud-hole flange FP 4.1		4028198
	Stud-hole flange FP 5.1		4028200
	Stud-hole flange US 4		4028264
	Stud-hole flange US 5.2		4028265
WARTBURG			
	Stud-hole flange FP 4.2		4028199

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

BRUSH FOR TYRE LUBRICATION

1419



► **DESCRIPTION**
Brush For tyre lubrication

► **COMPATIBILITY**
All

► € 11.00

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

HOLDER FOR TYRE LUBRICANT BUCKET (5 KG)

4025460



► **DESCRIPTION**
5 Kg

► **COMPATIBILITY**
Standard on all car tyre changers
except T1300 and T5300/T5305

► € 83.00

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

HOLDER FOR TYRE LUBRICANT BUCKET (MAGNETIC)

EAK0317G95A



► **DESCRIPTION**
Flexible solution to position the bucket in the
most comfortable place possible
- For use on all tyre changers

► **COMPATIBILITY**

► € 180.00

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

MAGNETIC TOOL HOLDER

EAK0317G96A



► **DESCRIPTION**
Flexible solution to position small tools in the
most comfortable place possible
-For use on all tyre changers

► **COMPATIBILITY**

► € 57.00

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

ROLLER BOARD

4026290



► **DESCRIPTION**
Roller board

► **COMPATIBILITY**

► € 361.00

T1000-20, T3000-20 / 2-speed, T3000-22 / BS & T3000-22 2-speed series, T4500, T4500-24, T5000-24 AT, T6000; standard on T5000-24 / BS

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

BEAD BREAKER BLADE FOR OFF-ROAD WHEELS

4028111



► **DESCRIPTION**
For off-road wheels, longer blade, quick-fit on
the standard blade, to avoid squeezing off-road
tyre sidewall

► **COMPATIBILITY**

► € 106.00

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

PLASTIC PROTECTOR FOR BEAD BREAKER BLADE

26582



► **DESCRIPTION**
To protect alloy rims

► **COMPATIBILITY**

► € 11.00

Standard on models certified by wdk and PROspeed models

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

PLASTIC PROTECTOR FOR BEAD BREAKER BLADE

31765



► **DESCRIPTION**
For careful handling of alloy rims having a bead
breaker blade without hole

► **COMPATIBILITY**
For tyre changers manufactured
prior to 2004

► € 17.00

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

TYRE LEVER WAVE PLUS

34415



DESCRIPTION

Tyre lever certified by WDK. Alternative for former short tyre lever 1418, ALU tyre lever 30660 and WAVE tyre lever 25946

COMPATIBILITY

Standard with all car tyre changers

▶ € 63.00

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

PLASTIC COVER

24180



DESCRIPTION

For former tyre lever 1418 and tyre lever WAVE 25946

COMPATIBILITY

▶ € 11.00

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

PLASTIC COVER

EAG0115606A



DESCRIPTION

For tyre lever WAVE Plus 34415

COMPATIBILITY

▶ € 11.00

MISCELLANEOUS MOUNTING AIDS FOR CAR TYRE CHANGERS

PLASTIC RIM PROTECTOR (SET OF 3)

4026853



DESCRIPTION

For alloy rims, especially on low-profile tyres, clip-on type

COMPATIBILITY

▶ € 22.00

MISCELLANEOUS MOUNTING AIDS FOR CAR TYRE CHANGERS

PLASTIC TYRE PROTECTOR, CLIP-ON TYPE

EAA0481G31A



DESCRIPTION

To protect run-flat tyres when mounted onto steel rims
Set of 3

COMPATIBILITY

▶ € 56.00

MISCELLANEOUS MOUNTING AIDS FOR CAR TYRE CHANGERS

SHORT RIM PROTECTOR WITH TOOL STOPPER

EAA0481G34A



DESCRIPTION

Mounting stopper
Set of 3

COMPATIBILITY

▶ € 82.00

MISCELLANEOUS MOUNTING AIDS FOR CAR TYRE CHANGERS

PLASTIC TYRE PROTECTOR

EAA0408G33A



DESCRIPTION

For run-flat tyres when mounted on steel rims.
For all car tyre changers (1 off)
Comes standard with plus kit.

COMPATIBILITY

▶ € 51.00

MISCELLANEOUS MOUNTING AIDS FOR CAR TYRE CHANGERS

BEAD DEPRESSOR

4003444



DESCRIPTION

To facilitate mounting of upper bead, especially on low-profile and stiff tyres

COMPATIBILITY

▶ € 121.00

MISCELLANEOUS MOUNTING AIDS FOR CAR TYRE CHANGERS

BEAD CLAMP

4031295



► **DESCRIPTION**

To facilitate mounting of upper bead, especially on low-profile and stiff tyres

► **COMPATIBILITY**

► **€ 137.00**

MISCELLANEOUS MOUNTING AIDS FOR CAR TYRE CHANGERS

BEAD PRESSING ROLLER

4025966



► **DESCRIPTION**

For quick installation on mounting head
Suitable for all machines manufactured after June 2002
(sr. no. starting 0702)

► **COMPATIBILITY**

► **€ 102.00**

MISCELLANEOUS MOUNTING AIDS FOR CAR TYRE CHANGERS

SMART BEAD SPACER

EAA0377G23A



► **DESCRIPTION**

Holds the bead on 6 points in the drop centre during tyre mounting operation. To be used in conjunction with MH 320 pro
Comes standard with the plus kit.

► **COMPATIBILITY**

► **€ 100.00**

MISCELLANEOUS MOUNTING AIDS FOR CAR TYRE CHANGERS

MOUNTING TOOL

EAA0393G89A



► **DESCRIPTION**

Stand-alone mounting tool to facilitate the operation with run-flat tyres.

► **COMPATIBILITY**

► **€ 550.00**

For Quadriga 1000.
For series T7300, Centaur, T7700 and T7800 series in conjunction with adaptor EAA0426G34A only

MISCELLANEOUS MOUNTING AIDS FOR CAR TYRE CHANGERS

EAA0470G38A

EAA0426G34A



► **DESCRIPTION**

Adaptor for stand-alone mounting tool EAA0393G89 to facilitate the operation with run-flat tyres.

► **COMPATIBILITY**

► **€ 85.00**

For T7300, Centaur, T7700 and T7800 series

MISCELLANEOUS MOUNTING AIDS FOR CAR TYRE CHANGERS

EXTENSION FOR EXTRA LARGE WHEELS

4024098



► **DESCRIPTION**

Extension for adjustable bead breakers of T5320/T5325 2S, T5340/5345 2S, T5540/T5545 2S

► **COMPATIBILITY**

► **€ 187.00**

T5320/T5325 2S, T5340/5345 2S, T5540/T5545 2S

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

REINFORCED MOUNTING HEAD

4029196



► **DESCRIPTION**

From 04.2011 standard on T500, T1000-20, T3000-20, T3000-22 series, T4500, T4500-24, T5000-24, T6000 and on the new 2015 generation: T1300, T5300, T5320/T5325 2S, T5340/T5345 2S, T5540/T5545 2S and T7300

► **COMPATIBILITY**

► **€ 289.00**

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

PLASTIC MOUNTING HEAD

4024784



► **DESCRIPTION**

With support, for retrofit on T500, T1000-20, T3000-20 series, T3000-22 series, T4500, T4500-24, T5000-24 and T6000; T1300 up to T5540 2S and T7300 series

► **COMPATIBILITY**

► **€ 165.00**

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

MOUNTING HEAD

4029338



DESCRIPTION

For wheels with protruding spokes e.g. by VW, Audi, Ford or Peugeot.

COMPATIBILITY

For T500, T1000-20, T3000-20 series, T3000-22 series, T4500, T4500-24, T5000-24 und T6000; T1300 up to T5540 2S and T7300 series

▶ € 289.00

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

PLASTIC MOUNTING HEAD

4027646



DESCRIPTION

With support, for VW / Audi / Ford / Peugeot rims with protruding spokes.

COMPATIBILITY

For retrofit on T500, T1000-20, T3000-20 series, T3000-22 series, T4500, T4500-24, T5000-24 und T6000; T1300 up to T5540 2S and T7300 series

▶ € 175.00

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

QUICK EXCHANGE DEVICE

4029892



DESCRIPTION

Without mounting head, for quick retrofit of all steel, plastic and motorcycle mounting heads of Snap-on car tyre changers without additional tools

COMPATIBILITY

▶ € 237.00

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

QUICK EXCHANGE DEVICE

4028228



DESCRIPTION

Including plastic mounting head, for quick retrofit of steel, plastic and motorcycle mounting heads without additional tools.

COMPATIBILITY

T1300 up to T5540 and T7300 series

▶ € 280.00

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

QUICK EXCHANGE DEVICE

4028229



DESCRIPTION

Including plastic mounting head for VW / Audi / Ford / Peugeot rims with protruding spokes

COMPATIBILITY

T1300 up to T5540 and T7300 series

▶ € 303.00

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

"+4" QUICK EXCHANGE DEVICE"

4028629



DESCRIPTION

"To be used in conjunction with the "+4" sliding jaws "

COMPATIBILITY

T4500-24, T5000-24 and T6000; T5340/ T5345, T5540/T5545 and T7300 series

▶ € 323.00

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

MOUNTING HEAD ADAPTOR FOR QUICK EXCHANGE DEVICE

4028884



DESCRIPTION

For quick exchange device
To be used when the customer already owns a quick exchange device and wants to use an additional mounting head

COMPATIBILITY

▶ € 68.00

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

ROD WITH DISC

EAA0426G41A



DESCRIPTION

Offset disc to move standard disc
EAA0350G39A
far from mounting head when working with very low pro file tyres

COMPATIBILITY

▶ € 207.00

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

BEAD PRESSOR W/ OFFSET ROLLER

EAA0440G54A



DESCRIPTION

Offset roller to move standard roller EAA0332G30A far from mounting head when working with very low pro file tyres

▶ **COMPATIBILITY**

▶ **€ 51.00**

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

PLASTIC PROTECTORS FOR MOUNTING HEAD

EAA0372G24A



DESCRIPTION

5 Sets of plastic rim protectors for car & m/c mounting heads 4029196, 4029337 and 4013706, consisting of 5 rim protectors, 10 rear protectors, 5 motorcycle rim protectors, 2 hexagon socket screws, 2 grooved pins

▶ **COMPATIBILITY**

▶ **€ 51.00**

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

PLASTIC PROTECTORS FOR MOUNTING HEAD

4030319



DESCRIPTION

5 Sets of plastic rim protectors for car & m/c mounting heads 4029196 and 4013706, consisting of 5 rim protectors, 5 rear protectors, 2 hexagon socket screws

▶ **COMPATIBILITY**

▶ **€ 36.00**

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

PLASTIC PROTECTORS FOR MOUNTING HEAD

4030767

DESCRIPTION

Set of plastic rim protectors for mounting head 4029338, consisting of 4 plastic rim protectors and 2 grooved pins

▶ **COMPATIBILITY**

▶ **€ 46.00**

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

PLASTIC PROTECTORS FOR MOUNTING HEAD

EAK0317G35A



DESCRIPTION

5 Sets of plastic rim protectors for mounting head EAA0392G68A, consisting of 5 front protectors, 5 rear protectors, 2 hexagon socket screws

▶ **COMPATIBILITY**

▶ **€ 36.00**

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

PLASTIC PROTECTORS FOR MOUNTING HEAD

EAK0315G48A

DESCRIPTION

Set of 5 plastic rim protectors for mounting head 4029196

▶ **COMPATIBILITY**

▶ **€ 28.46**

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

STEEL ROLLER FOR MOUNTING HEAD

EAA0376G54A



DESCRIPTION

Set of 3 steel rollers and screws for mounting heads 4029196 and 4013706

▶ **COMPATIBILITY**

▶ **€ 30.00**

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

PLASTIC PROTECTORS FOR AUTOMATIC MOUNTING HEAD

4030887



DESCRIPTION

Set= 10 off 34812 and 10 off EAC0102G90A+ screws

▶ **COMPATIBILITY**

▶ **€ 51.00**

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

POWERMONT UPPER TOOL PROTECTOR KIT

EAK0341G32A



DESCRIPTION

Set of 10 EAC0126G25A
Standard equipment of series T7700 and T7800 2S From March 2019 or for upgraded machine with the new reinforced tool EAM0161G88A

▶ COMPATIBILITY

▶ € 42.00

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

POWERMONT LOWER TOOL PROTECTOR KIT

EAK0330G58A



DESCRIPTION

Set of 10 EAM0068G23A
Standard equipment of series T7700 and T7800

▶ COMPATIBILITY

▶ € 24.00

ACCESSORIES FOR TABLE-TOP CAR TYRE CHANGERS

PLASTIC CAPS FOR CLAMPING JAWS

4027870



DESCRIPTION

To protect light-alloy rims
1 set = 4 off

▶ COMPATIBILITY

▶ € 51.00

ACCESSORIES FOR TABLE-TOP CAR TYRE CHANGERS

PLASTIC CAP FOR CLAMPING JAWS

15115



DESCRIPTION

"For 20"" off-centre turntable with conventional jaws to protect light-alloy rims; 1 off, 4 off required"

▶ COMPATIBILITY

▶ € 16.00

For series T1000-20 & T3000-20 prior to 17.05.2010, T1000-20 BS & T3000-20 BS prior to 07.06.2010, for T4500

ACCESSORIES FOR TABLE-TOP CAR TYRE CHANGERS

PLASTIC CAPS FOR CLAMPING JAWS FRONT ONLY

4030646



DESCRIPTION

"For 20"" & 22"" centre-type turntable with conventional jaws to protect light-alloy rims.
1 set = 4 off"

▶ COMPATIBILITY

▶ € 51.00

Series T1000-20 & T3000-20 from 17.05.2010, T1000-20 BS & T3000-20 BS from 07.06.2010, T3000-20 2-speed / BS, T3000-22 / BS; T1300, T5300; standard on T3000-22 2-speed series and T5320/T5325 2S

ACCESSORIES FOR TABLE-TOP CAR TYRE CHANGERS

PLASTIC CAPS FOR CLAMPING JAWS FRONT & REAR

4030647



DESCRIPTION

"For 20"" & 22"" centre-type turntable with conventional jaws to protect light-alloy rims on.
1 set = 4 front & 4 rear caps"

▶ COMPATIBILITY

▶ € 83.00

Series T1000-20 & T3000-20 from 17.05.2010, T1000-20 BS & T3000-20 BS from 07.06.2010, T3000-20 2-speed / BS, T3000-22 / BS and T3000-22 2-speed / BS series; T5320/T5325 2S

ACCESSORIES FOR TABLE-TOP CAR TYRE CHANGERS

PLASTIC CAPS FOR CLAMPING JAWS

4027908

DESCRIPTION

"For 24"" & 26"" off-centre turntable with sliding jaws to protect light-alloy rims on; 1 set = 4 off"

▶ COMPATIBILITY

▶ € 51.00

T4500-24, T5000-24 and AT upgrades prior to 02.2014; T6000 prior to 12.2022;

ACCESSORIES FOR TABLE-TOP CAR TYRE CHANGERS

PLASTIC CAPS FOR CLAMPING JAWS

4027645



DESCRIPTION

"For 24"" centre-type turntable with sliding jaws to protect light-alloy rims on; 1 set = 4 off"

▶ COMPATIBILITY

▶ € 51.00

T4500-24 & T5000-24 with inverter technology from 11.2013, all T5000-24 AT

ACCESSORIES FOR TABLE-TOP CAR TYRE CHANGERS

LIGHT ALLOY RIM PROTECTORS FOR CLAMPING JAWS FRONT & REAR

EAK0317G12A



DESCRIPTION

"For 24"" centre-type turntable with sliding jaws with rounded profile to protect alloy wheels. 1 set = 4 off"

COMPATIBILITY

Standard on T5340/T5345 2S and T5540/T5545 2S since 2015. T6000 from 12.2022

► € 51.00

ACCESSORIES FOR TABLE-TOP CAR TYRE CHANGERS

"+6"" ADAPTORS

4029446



DESCRIPTION

"For T500 / BS and T900 jaws To increase the outer clamping range by 6"" 1 set = 4 off"

COMPATIBILITY

T500 / BS and T900

► € 463.00

ACCESSORIES FOR TABLE-TOP CAR TYRE CHANGERS

"+4"" ADAPTORS FOR SLIDING JAWS

4029455



DESCRIPTION

"For 24"" centre-type turntable with sliding jaws To increase the outer clamping range of sliding jaw tyre changers by 4"" , while reducing maximum rim width by 1 1/2""; 1 set = 4 off"

COMPATIBILITY

For T4500-24 and T5000-24 with inverter technology from 11.2013, all T5000-24 AT, T5340/T5345 2S, T5540/T5545 2S and T6000 from 12.2022

► € 440.00

ACCESSORIES FOR TABLE-TOP CAR TYRE CHANGERS

"ADAPTORS FOR LIGHT-TRUCK WHEELS 17.5""

4027631



DESCRIPTION

"For 24"" & 26"" off-centre turntable with sliding jaws; 1 set = 4 off"

COMPATIBILITY

For T4500-24, T5000-24 and AT upgrades prior to 02.2014; T6000

► € 731.00

ACCESSORIES FOR TABLE-TOP CAR TYRE CHANGERS

LIGHT ALLOY RIM PROTECTORS FOR CLAMPING JAWS FRONT ONLY

EAK0329G86A

DESCRIPTION

For centre-type sliding jaws with new rounded profile of the PROspeed TC

COMPATIBILITY

PROspeed tyre changers

► € 35.00

ACCESSORIES FOR TABLE-TOP CAR TYRE CHANGERS

"+6"" ADAPTORS

4030649



DESCRIPTION

"For 20"" & 22"" centre-type turntable with conventional jaws. To increase the outer clamping range by 6""; 1 set = 4 off"

COMPATIBILITY

For series T1000-20 & T3000-20 from 17.05.2010, T1000-20 BS & T3000-20 BS from 07.06.2010, T3000-20 2-speed / BS, T3000-22 / BS & T3000-22 2-speed series; T1300, T5300/T5305 and T5320/ T5325 2S

► € 463.00

ACCESSORIES FOR TABLE-TOP CAR TYRE CHANGERS

"ADAPTORS FOR LIGHT-TRUCK WHEELS 17.5""

4030651



DESCRIPTION

"For 20"" & 22"" centre-type turntable with conventional jaws; 1 set = 4 off"

COMPATIBILITY

For series T1000-20 & T3000-20 from 17.05.2010, T1000-20 BS & T3000-20 BS from 07.06.2010, T3000-20 2-speed / BS, T3000-22 / BS & T3000-22 2-speed series; T1300, T5300/T5305, T530/ T5325 2S

► € 594.00

ACCESSORIES FOR TABLE-TOP CAR TYRE CHANGERS

"ADAPTORS FOR LIGHT-TRUCK WHEELS, 17.5""

4027629



DESCRIPTION

"For 24"" centre-type turntable with sliding jaws; 1 set = 4 off "

COMPATIBILITY


For T4500-24 & T5000-24 with inverter technology from 11.2013, all T5000-24 AT, T5340/T5345 2S and T5540/ T5545 2S

► € 730.00

ACCESSORIES FOR TABLE-TOP CAR TYRE CHANGERS

EASYCLAMP II

EAA0377698A



DESCRIPTION

"Universal clamping jaw adaptors
Combined set of car, scooter, motorcycle +
light-truck wheel adaptors, clamping range
5-23", with sturdy rubber coating to clamp alloy
rims by the inside.
To be used on car TC with centre-type
turntable:
"

▶ € 1017.00

COMPATIBILITY

T1000-20, T3000-20, T3000-20
2-speed from 17.05.2010; T1000-
20 BS, T3000-20 BS, T3000-20;
2-speed BS from 07.06.2010;
T3000-22 / BS & T3000-22;
2-speed / BS series; T1300,
T5300, T5320 2S series

ACCESSORIES FOR MOTORCYCLE WHEELS ON TABLE-TOP CAR TYRE CHANGERS

MOUNTING HEAD ASSEMBLY FOR MOTORCYCLE WHEELS

4013706



DESCRIPTION

Motorcycle wheel mounting head assembly set
For retrofitting on all tyre changers
manufactured by Snap-on in Correggio.

▶ € 289.00

COMPATIBILITY

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

PLASTIC PROTECTORS FOR MOUNTING HEAD

EAK0315648A

DESCRIPTION

Set of 5 plastic rim protectors for mounting
head 4029196

▶ € 28.46

COMPATIBILITY

ACCESSORIES FOR MOTORCYCLE WHEELS ON TABLE-TOP CAR TYRE CHANGERS

"ATV (8'') CLAMPING JAWS"

4029448



DESCRIPTION

For T500 / BS and T900 jaws;
1 set = 4 off

▶ € 497.00

COMPATIBILITY

T500 / BS and T900

ACCESSORIES FOR TABLE-TOP CAR TYRE CHANGERS

PLASTIC PROTECTORS FOR EASYCLAMP II

EAK0317634A



DESCRIPTION

Consisting of:
2x8 plastic protectors for the easyclamp II jaws
(2 sets of wear parts; each easyclamp jaw
requires 2 protectors)

▶ € 88.00

COMPATIBILITY

MOUNTING HEADS & ACCESSORIES FOR CAR TYRE CHANGERS

PLASTIC PROTECTORS FOR MOUNTING HEAD

4030319



DESCRIPTION

5 Sets of plastic rim protectors for car & m/c
mounting heads 4029196 and 4013706,
consisting of 5 rim protectors, 5 rear protectors,
2 hexagon socket screws

▶ € 36.00

COMPATIBILITY

ACCESSORIES FOR MOTORCYCLE WHEELS ON TABLE-TOP CAR TYRE CHANGERS

PLASTIC PROTECTORS FOR MOUNTING HEAD

4030668



DESCRIPTION

For mounting head
5 Sets of plastic rim protectors for m/c mounting
head 4029337, consisting of 5 rear protectors,
5 motorcycle rim protectors,
2 hexagon socket screws

▶ € 58.00

COMPATIBILITY

ACCESSORIES FOR MOTORCYCLE WHEELS ON TABLE-TOP CAR TYRE CHANGERS

"8'') CLAMPING JAWS"

EAA0410687A



DESCRIPTION

"For 20" & 22" centre-type turntable with
conventional jaws; new shape also for special
rims; 1 set = 4 off"

▶ € 497.00

COMPATIBILITY

For series T1000-20 & T3000-20 from
17.05.2010, T1000-20 BS, T3000-20
BS from 07.06.2010, T3000-20;
2-speed/BS, T3000-22 series, T1300,
T5300/T5305, T5320/T5325 2S

ACCESSORIES FOR MOTORCYCLE WHEELS ON TABLE-TOP CAR TYRE CHANGERS

MOTORCYCLE CLAMPING JAW

4015099



► **DESCRIPTION**

"For 20"" off-centre turntable with conventional jaws; 1 off, 4 off required"

► **COMPATIBILITY**

For series T1000-20 & T3000-20 prior to 17.05.2010, T1000-20 BS & T3000-20 BS prior to 07.06.2010, for T4500

► € 137.00

ACCESSORIES FOR MOTORCYCLE WHEELS ON TABLE-TOP CAR TYRE CHANGERS

"KIT OF MOTORCYCLES 8"" UNIVERSAL ADAPTORS "

EAK0375G48A

► **DESCRIPTION**

"Kit of motorcycles 8"" universal adaptors for center type turntable with sliding jaws. (4 adaptors EAA0534G81A)"


► **COMPATIBILITY**

► € 662.00

ACCESSORIES FOR TABLE-TOP CAR TYRE CHANGERS

EASYCLAMP II

EAA0377G98A



► **DESCRIPTION**

"Universal clamping jaw adaptors Combined set of cart, scooter, motorcycle + light-truck wheel adaptors, clamping range 5-23"", with sturdy rubber coating to clamp alloy rims by the inside. To be used on car TC with centre-type turntable: "

► **COMPATIBILITY**


T1000-20, T3000-20, T3000-20 2-speed from 17.05.2010; T1000-20 BS, T3000-20 BS, T3000-20; 2-speed BS from 07.06.2010; T3000-22 / BS & T3000-22; 2-speed / BS series; T1300, T5300, T5320 2S series

► € 1017.00

ACCESSORIES FOR MOTORCYCLE WHEELS ON TABLE-TOP CAR TYRE CHANGERS

ADDITIONAL BEAD BREAKER BLADE

4008755



► **DESCRIPTION**

Slip-on type, narrower than standard blade; not for T5000-24 AT and T6000

► **COMPATIBILITY**

► € 83.00

ACCESSORIES FOR MOTORCYCLE WHEELS ON TABLE-TOP CAR TYRE CHANGERS

KIT OF MOTORCYCLES UNIVERSAL ADAPTORS

EAK0375G47A

► **DESCRIPTION**

Kit of motorcycles universal adaptors for center type turntable with fixed jaws. (4 adaptors EAA0534G80A)

► **COMPATIBILITY**

► € 361.00

ACCESSORIES FOR MOTORCYCLE WHEELS ON TABLE-TOP CAR TYRE CHANGERS

"KIT OF MOTORCYCLES 26"" UNIVERSAL ADAPTORS "

EAK0375G40A

► **DESCRIPTION**

"Kit of motorcycles 26"" universal adaptors for center type turntable with sliding jaws. (4 adaptors EAA0535G18A)"

► **COMPATIBILITY**

► € 662.00

ACCESSORIES FOR TABLE-TOP CAR TYRE CHANGERS

PLASTIC PROTECTORS FOR EASYCLAMP II

EAK0317G34A



► **DESCRIPTION**

Consisting of: 2x8 plastic protectors for the easyclamp II jaws (2 sets of wear parts; each easyclamp jaw requires 2 protectors)

► **COMPATIBILITY**

► € 88.00

ACCESSORIES FOR MOTORCYCLE WHEELS ON TABLE-TOP CAR TYRE CHANGERS

SLIP-ON SHOE

4029113



► **DESCRIPTION**

To handle small motorcycle and car tyres; for all tyre changers manufactured by Snap-on in Correggio except T5000-24 AT

► **COMPATIBILITY**

► € 233.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

CLOSED CENTRE RIM KIT

EAA0410G88A



DESCRIPTION

To clamp closed centre rims, including compact clamping device.

COMPATIBILITY

T7300 2S / T7800 2S series

▶ € 1392.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

CLOSED CENTRE RIM KIT

4030515



DESCRIPTION

To clamp closed centre rims, including compact clamping device, on Pegasus 200 / BS and Centaur / T7700 2S series T7300 2S / T7800 2S series in conjunction with EAA0410G89A only

COMPATIBILITY

Pegasus 200 / BS and Centaur / T7700 2S series T7300 2S / T7800 2S series

▶ € 1262.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

THREADED SHAFT ASSEMBLY

EAA0410G89A



DESCRIPTION

For 4030515 (closed centre rims kit) when it is used on quickLOK clamping system,

COMPATIBILITY

T7300 2S / T7800 2S series

▶ € 213.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

CLOSED CENTRE RIM KIT

4031036



DESCRIPTION

To clamp closed centre rims, including compact clamping device.

COMPATIBILITY

Quadriga 1000 / BB

▶ € 1392.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

BOLTS

EAA0363G30A



DESCRIPTION

For accommodation of wheels for AUDI Q5 and Q7 in conjunction with clamping kit EAA0410G88A / 4030515 / 4031036; spherical head diameter 28 mm; 1 set= 5 off

COMPATIBILITY

Pegasus 200 / BS, T7300 2S, Centaur, T7700 2S, T7800 2S / Quadriga 1000 series

▶ € 398.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

BOLTS

EAA0363G40A



DESCRIPTION

For accommodation of wheels for AUDI A7 and A8 in conjunction with clamping kit 4030515 / 4031036; spherical head diameter 25.6 mm; 1 set= 5 off

COMPATIBILITY

Pegasus 200 / BS, T7300 2S, Centaur, T7700 2S, T7800 2S / Quadriga 1000 series

▶ € 398.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

LIGHT-TRUCK WHEEL KIT

4030486



DESCRIPTION

To clamp pick-up, light-van and light-truck wheels

COMPATIBILITY

Pegasus 200 / T7300 2S / T7700 2S / T7800 2S series

▶ € 874.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

LIGHT-TRUCK WHEEL KIT

4031033



DESCRIPTION

To clamp pick-up, light-van and light-truck wheels

COMPATIBILITY

Quadriga 1000 / BB

▶ € 659.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

REVERSE MOUNTED WHEEL KIT

4031245



DESCRIPTION
To clamp reverse mounted wheels

COMPATIBILITY
Pegasus 200 / T7300 2S / Centaur
/ T7700 2S / T7800 2S series

€ 1088.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

BOLTS

EAA0364G48A



DESCRIPTION
Length 110 mm
5 x Bolts w/ cylindrical vertex
5 x Bolts w/ tapered vertex
For reverse mounted wheel kit 4031245 /
4031040

COMPATIBILITY
Pegasus 200 / T7300
2S / Centaur / T7700
2S / T7800 2S /
Quadriga 1000 series

€ 422.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

BOLTS

EAA0384G83A



DESCRIPTION
For accommodation of wheels for Land Rover
Defender
5 Bolts w/ tapered vertex
Overall length 100 mm, tapered vertex dia. 36
mm
For reverse mounted wheel kit 4031245 /
4031040

COMPATIBILITY
Pegasus 200 / T7300 2S / Centaur
/ T7700 2S / T7800 2S / Quadriga
1000 series

€ 453.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

MB CLAMPING KIT

EAK0330G20A

DESCRIPTION
For standard and reverse mounted wheels,
consisting of:
- Set of 5 cylindrical vertex pins overall length
100mm, ref. no. EAM0147G39A
- MB flange with 5 pins - dia. 112 mm and 120
mm, ref. no. EAM0091G90A
- Adaptor, ref. no. EAM0103G97A

COMPATIBILITY
T7300 2S / Centaur / T7700 2S /
T7800 2S. Optional for use on T7300
2S / Centaur / T7700 2S / T7800
2S series

€ 1229.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

REVERSE MOUNTED WHEEL KIT

4031040



DESCRIPTION
To clamp reverse mounted wheels on monty

COMPATIBILITY
Quadriga 1 / GP

€ 1101.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

BOLTS

EAA0440G50A



DESCRIPTION
For reverse mounted wheel kit 4031245 /
4031040
5 Bolts w/ cylindrical vertex, 19 mm diameter
Length 110 mm

COMPATIBILITY
Pegasus 200 / T7300 2S / Centaur
/ T7700 2S / T7800 2S / Quadriga
1000 series

€ 213.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

BMW CLAMPING KIT

EAA0392G80A



DESCRIPTION
For standard and reverse mounted wheels,
consisting of:
- Set of 5 tapered vertex pins overall length
110 mm, ref. no. EAM0076G53A
- Set of 5 cylindrical vertex pins overall length
80 mm, ref. no. EAM0122G27A
- BMW flange with 5 pins - dia. 112 mm and
120 mm ref. no. EAM0091G90A
- MINI flange with 4 pins - dia. 100 mm,
ref. no. EAM0103G97A
- Adaptor, ref. no. EAM0103G97A

COMPATIBILITY
T7300 2S / Centaur / T7700 2S
/ T7800 2S. Optional for use on
T7300 2S / Centaur / T7700 2S /
T7800 2S / Quadriga 1000 series

€ 1296.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

CONE KIT 64 MM

EAK0317G75A



DESCRIPTION
Centring cones, 64 mm diameter, for wheel
clamping, consisting of 5 plastic cones, option
for T7300 2S and Centaur series, standard on
T7700 2S and T7800 2S series

COMPATIBILITY
T7300 2S and Centaur series,
standard on T7700 2S and T7800
2S series

€ 46.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

75 MM CONE KIT

EAK0317G76A



DESCRIPTION

Centring cones, 75 mm diameter, for wheel clamping, consisting of 5 plastic cones, option for T7300 2S and Centaur series, standard on T7700 2S and T7800 2S series

COMPATIBILITY

T7300 2S and Centaur series, standard on T7700 2S and T7800 2S series

▶ € 52.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

145 MM CONE KIT

EAK0317G78A



DESCRIPTION

Centring cones, 145 mm diameter, for wheel clamping, consisting of 5 plastic cones, option for T7300 2S and Centaur series, standard on T7700 2S and T7800 series

COMPATIBILITY

T7300 2S and Centaur series, standard on T7700 2S and T7800 series

▶ € 115.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

42-85 MM CONE KIT

EAA0373G84A



DESCRIPTION

Consisting of 1 steel cone to centre steel / alloy wheels and 5 plastic protectors for use with alloy rims only.

COMPATIBILITY

For Quadriga 1000

▶ € 125.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

85 MM PLASTIC PROTECTORS

EAK0317G33A



DESCRIPTION

Cone dia. 85 mm
1 Set = 10 off

COMPATIBILITY

For Centaur and Quadriga 1000

▶ € 36.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

126 MM CONE KIT

EAK0317G77A



DESCRIPTION

Centring cones, 126 mm diameter, for wheel clamping, consisting of 5 plastic cones, option for T7300 2S and Centaur series, standard on T7700 2S and T7800 2S series

COMPATIBILITY

T7300 2S and Centaur series, standard on T7700 2S and T7800 2S series

▶ € 102.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

42-85 MM CONE KIT

EAK0317G32A



DESCRIPTION

Consisting of 1 steel cone to centre steel / alloy wheels and 3 plastic protectors for use with alloy rims only.

COMPATIBILITY

For T7300 2S, Centaur, T7700 2S and T7800 2S series

▶ € 125.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

SPECIAL CONE MONTY® QUADRIGA 1

EAM0091G24A



DESCRIPTION

Polyamide cone, ideal for alloy rims e.g. of Audi, BMW, Porsche

COMPATIBILITY

▶ € 78.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

120 MM PLASTIC PROTECTORS

EAK0317G73A



DESCRIPTION

Cone dia. 120 mm
1 Set = 10 off

COMPATIBILITY

For Quadriga 1000

▶ € 36.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

145 MM PLASTIC PROTECTORS

EAK0317G74A



DESCRIPTION

Cone dia. 145 mm
1 Set = 10 off

COMPATIBILITY

For Quadriga 1000

€ 36.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

SUPPORTING RING

EAM0079G58A



DESCRIPTION

For improved clamping of steel rims with centre bore diameter of 40 - 59 mm.

COMPATIBILITY

Quadriga 1000 / BS

€ 31.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

CLAMPING KIT FOR STEEL RIMS

EAK0329G94A



DESCRIPTION

To lock steel rims with a thin flange. The spacer guarantees a secure contact of the rim on the wheel flange

COMPATIBILITY

For T7700 and T7800 2S series

€ 60.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

61 MM SPACER

EAK0317G84A



DESCRIPTION

The spacer raises the wheel reducing the tower flexions when operating with extremely stiff sidewall tyres.

COMPATIBILITY

For Centaur

€ 500.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

SPACER KIT

EAA0377G15A



DESCRIPTION

For special rims - inner ring

COMPATIBILITY

For Quadriga 1000 / BB

€ 60.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

PAX KIT FOR QUADRIGA 1000

4031395

DESCRIPTION

For Quadriga 1000 / BB

COMPATIBILITY

For Quadriga 1000 / BB

€ 994.00

ACCESSORIES FOR CENTRE-POST CAR TYRE CHANGERS

TOOLBOX FOR T7700 AND T7800 SERIES

EAA0481G79A



DESCRIPTION

With four pockets to comfortably store accessories and tools:
- Pegs for centring cones
- Shaft housing
- Holders for lube bucket and soap bottle
It requires a bigger footprint

COMPATIBILITY

€ 558.00

ACCESSORIES FOR MH 310 / 320 PRO BEAD ASSIST FOR CAR TYRE CHANGERS

MH 310 PRO

6027702

DESCRIPTION

Pneumatic bead assist to be attached to the swing arm tyre changers.

COMPATIBILITY

T1300

€ 2545.00

TYRE CHANGERS

ACCESSORIES FOR MH 310 / 320 PRO BEAD ASSIST FOR CAR TYRE CHANGERS

MH 320 PRO

6027703



► DESCRIPTION

"Pneumatic bead assist to be attached to tilt-back post tyre changers.

- Ideal aid for tyre changing, especially with wide tyres having stiff sidewalls, and indispensable for run-flat tyre systems such as PAX, CSR, RFT, eufori@, EMT, DSST, SSR and ZeroP
- Integrated pneumatic bead hold-down device, turning 360° with the wheel
- Pneumatically operated roller, directly on the mounting head"

► COMPATIBILITY

T3000-20/BS, T3000-22/BS, T4500-24/BS, T5000-24/BS, T3000M; standard on T5000-24 AT/BS, T6000/BS and all plus tyre changers

► € 2545.00

ACCESSORIES FOR MH 310 / 320 PRO BEAD ASSIST FOR CAR TYRE CHANGERS

PLUS ACCESSORIES FOR MH 320 PRO

EAK0329G93A



► DESCRIPTION

Containing the tools for the PLUS models as requested for WDK certification:

- EAA0350G39A RF PLUS bead tool
- EAC0097G24A RF PLUS bead pusher tool
- 4029326 Adjustable bead breaker disc

► COMPATIBILITY

► € 473.00

ACCESSORIES FOR MH 310 / 320 PRO BEAD ASSIST FOR CAR TYRE CHANGERS

ADDITIONAL HEX BAR ASSY

4029180



► DESCRIPTION

For PAX adaptor kit 4028967 and 4024046;

► COMPATIBILITY

For T 500 and T 1000-20

► € 200.00

ACCESSORIES FOR MH 310 / 320 PRO BEAD ASSIST FOR CAR TYRE CHANGERS

PLASTIC BEAD BREAKER DISC

4029261



► DESCRIPTION

To break the upper bead when the wheel is clamped on tyre changer turntable; only in conjunction with MH 310 pro / 320 pro

► COMPATIBILITY

► € 398.00

ACCESSORIES FOR MH 310 / 320 PRO BEAD ASSIST FOR CAR TYRE CHANGERS

MH MID TIER TILT

EAA0382G97A



► DESCRIPTION

Ideal aid for tyre changing, especially with wide tyres having stiff sidewalls, and indispensable for run-flat

► COMPATIBILITY

► € 1300.00

ACCESSORIES FOR MH 310 / 320 PRO BEAD ASSIST FOR CAR TYRE CHANGERS

EXTENSION FOR PNEUMATIC BEAD ASSIST

4026913



► DESCRIPTION

MH 310 pro / 320 pro, for clamping rims with high offset

► COMPATIBILITY

► € 113.00

ACCESSORIES FOR MH 310 / 320 PRO BEAD ASSIST FOR CAR TYRE CHANGERS

ROD WITH TAPERED ROLLER

4029326



► DESCRIPTION

For MH 310 pro / 320 pro (production from 06.06); Rod diameter 35 mm

► COMPATIBILITY

► € 152.00

ACCESSORIES FOR MH 310 / 320 PRO BEAD ASSIST FOR CAR TYRE CHANGERS

TRACTOR KIT

EAA0393G08A



► DESCRIPTION

For MH 320 pro 6027703
Includes sleeve, screw and cord

► COMPATIBILITY

► € 117.00

ACCESSORIES FOR MH 310 / 320 PRO BEAD ASSIST FOR CAR TYRE CHANGERS

TRACTOR KIT

EAA0393G08A



DESCRIPTION

For MH 320 pro 6027703
Includes sleeve, screw and cord

COMPATIBILITY

€ 117.00

ACCESSORIES FOR PNEUMATIC BEAD ASSIST ON CENTRE-POSTTYRE CHANGERS

PNEUMATIC BEAD PRESS ARM MH

EAA0377G28A



DESCRIPTION

For retrofit on Centaur Advanced and Centaur Advanced BS; standard on Centaur Gold and Platinum

COMPATIBILITY

€ 734.00

ACCESSORIES FOR PNEUMATIC BEAD ASSIST ON CENTRE-POSTTYRE CHANGERS

BEAD PRESS TOOL

EAG0102G28A



DESCRIPTION

For centre-post tyre changer with automatic tool Centaur series

COMPATIBILITY

€ 78.00

WHEEL LIFTS FOR CAR TYRE CHANGERS

CW1015 WHEEL LIFT

EAK0279G89A



DESCRIPTION

Wheel lift

COMPATIBILITY

€ 1476.00

T3000-20, T3000-22 as well as
T5300/T5303, T5320/T5325
and T5340/T5345

WHEEL LIFTS FOR CAR TYRE CHANGERS

CW1025 WHEEL LIFT

EAK0279G86A

DESCRIPTION

Wheel lift

COMPATIBILITY

€ 1476.00

T4500-24, T5000-24 as
well as T5540/5545

WHEEL LIFTS FOR CAR TYRE CHANGERS

CW1035 WHEEL LIFT

EAK0279G87A

DESCRIPTION

Wheel lift

COMPATIBILITY

€ 1476.00

T6000

WHEEL LIFTS FOR CAR TYRE CHANGERS

JOHN BEAN LOGO

EAL0415J38A

DESCRIPTION

To replace logo on front panel
of CW 1015, CW 1025, and CW
1035 wheel lifts respectively

COMPATIBILITY

€ 16.73

T6000

WHEEL LIFTS FOR CAR TYRE CHANGERS

WHEEL LIFT PROTECTOR KIT

EAM0161G56A



DESCRIPTION

For wheel lifts CW1015 & CW1035, to
improve protection of alloy rims

COMPATIBILITY

€ 85.00

WHEEL LIFTS FOR CAR TYRE CHANGERS

WHEEL LIFT FOR T7300

EAK0317G64A



► DESCRIPTION

Pneumatic pedal-operated wheel lift
Capacity 70 kg
Platform height 30 mm with roller board

► COMPATIBILITY

Standard on T7300P

► € 1262.00

WHEEL LIFTS FOR CAR TYRE CHANGERS

WHEEL LIFT (PNEUMATIC PEDAL-OPERATED)

EAA0377G29A



► DESCRIPTION

Pneumatic pedal-operated wheel lift
Capacity 70 kg

► COMPATIBILITY

Centaur Advanced, Centaur Advanced BS, Centaur Gold, series T7700 2S, T7800G 2S, T7800S 2S and T7800B 2S. Standard on Centaur Platinum and T7800P 2S

► € 748.00

WHEEL LIFTS FOR CAR TYRE CHANGERS

PLASTIC PROTECTOR FOR WHEEL LIFT ARM

EAG0115G26A



► DESCRIPTION

To be clipped onto arm in order to protect rims from being scratched

► COMPATIBILITY

T7300

► € 24.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

TYRE LEVER SHORT

1418



► DESCRIPTION

Tyre lever short

► COMPATIBILITY

► € 47.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

TYRE LEVER LONG

4004461



► DESCRIPTION

Tyre lever long

► COMPATIBILITY

► € 149.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

ADAPTOR 202 MM

4023775



► DESCRIPTION

To centre rims with a centre bore diameter of 202 mm

► COMPATIBILITY

T8010 TR

► € 453.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

ADAPTOR 176 MM

23506



► DESCRIPTION

To centre rims with a centre bore diameter of 176 mm

► COMPATIBILITY

T8010 TR

► € 195.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

ADAPTOR 135-167 MM

4021247



► DESCRIPTION

To centre rims with centre bore diameters 135-167 mm

► COMPATIBILITY

T8010 TR

► € 486.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

BEAD PUSHING LEVER

4002354



► **DESCRIPTION**

To hold bead in the drop centre of the rim during the mounting operation;

► **COMPATIBILITY**

Standard on T8056/R, T5600/R, T8058 series

► € 139.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

CLAMP FOR ALLOY RIMS

4021852



► **DESCRIPTION**

For all truck tyre changers

► **COMPATIBILITY**

► € 426.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

MOUNTING CLAMP FOR STEEL RIMS

4009472



► **DESCRIPTION**

To help in mounting operations; standard on all truck tyre changers

► **COMPATIBILITY**

► € 175.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

OTR CLAMP FOR SPLIT-RING RIMS

4007611



► **DESCRIPTION**

To facilitate bead breaking on split-ring rims of OTR wheels
For all truck tyre changers

► **COMPATIBILITY**

► € 556.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

JAW PROTECTION KIT

EAK0315G66A



► **DESCRIPTION**

Consisting of 4 alloy rim protectors, 4 plastic spacers 25 / 22 / 19 / 16.5 / 5 mm each.

► **COMPATIBILITY**

For T8026 and T8056/R (standard)

► € 190.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

KIT OF ALLOY RIM PROTECTORS

EAK0315G67A



► **DESCRIPTION**

Consisting of 4 alloy rim protectors

► **COMPATIBILITY**

For T8026 and T8056/R (standard)

► € 158.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

KIT OF PLASTIC SPACERS

EAK0315G68A



► **DESCRIPTION**

Consisting of 4 plastic spacers 25 / 22 / 19 / 16.5 / 5 mm each.

► **COMPATIBILITY**

For T8026 and T8056/R (standard)

► € 58.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

ADAPTOR Ø 445 MM

4014913



► **DESCRIPTION**

"For alloy wheels of 17.5" diameter, 1 off (4 off required);"

► **COMPATIBILITY**

For T8026 and T8056/R

► € 47.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

ADAPTOR Ø 495 MM

4020582

► **DESCRIPTION**

"For alloy wheels of 19.5" diameter, 1 off (4 off required)"

► **COMPATIBILITY**

For T8026 and T8056/R

► € 99.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

ADAPTOR Ø 572 MM

4014914

► **DESCRIPTION**

"For alloy wheels of 22.5" diameter, 1 off (4 off required);"

► **COMPATIBILITY**

For T8026 and T8056/R (standard)

► € 64.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

ADAPTORS Ø 280 MM

4008264



► **DESCRIPTION**

For alloy wheels of 280 mm centre bore diameter, 1 set;

► **COMPATIBILITY**

For T5600/R

► € 142.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

ADAPTORS Ø 220-280 MM

4008257



► **DESCRIPTION**

For alloy wheels with 220-280 mm centre bore diameter, 1 set;

► **COMPATIBILITY**

T5600/R

► € 514.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

ADAPTORS

4030013



► **DESCRIPTION**

For alloy wheels, 1 set = 4 off

► **COMPATIBILITY**

For T8058 B / BA / WL

► € 421.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

MOUNTING ROLL FOR TUBELESS TYRES

4022287



► **DESCRIPTION**

For T8026, T8056R and T5600

► **COMPATIBILITY**

For T8026, T8056R and T5600

► € 594.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

MOUNTING ROLL FOR TUBELESS TYRES

4023741



► **DESCRIPTION**

For T8056

► **COMPATIBILITY**

For T8056

► € 594.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

MOUNTING ROLL FOR TUBELESS TYRES

EAA0373689A



► **DESCRIPTION**

For T5600/R and T8058

► **COMPATIBILITY**

For T5600/R and T8058

► € 594.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

"CLAMPING RANGE EXTENSIONS 32"-56"™™™™™"

4024715



► **DESCRIPTION**
Set of 4

► **COMPATIBILITY**
For T8056/R

► € 1100.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

EXTENSION FOR SUPER SINGLE WHEELS

4028955



► **DESCRIPTION**
"17.5" und 19.5" (1 set = 4 off)."

► **COMPATIBILITY**
For T5600/R

► € 1175.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

WING NUT SPACER

4020596



► **DESCRIPTION**
For T8010 TR

► **COMPATIBILITY**
For T8010 TR

► € 106.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

ADDITIONAL PLATFORM

4017641

► **DESCRIPTION**
To enlarge the standard platform for very wide truck wheels

► **COMPATIBILITY**
T8058 series

► € 734.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

"CLAMPING RANGE EXTENSIONS 44"-56"™™™™™"

4019161



► **DESCRIPTION**
For T5600/R

► **COMPATIBILITY**
For T5600/R

► € 1278.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

WING NUT 46X6

4021053



► **DESCRIPTION**
For T8010 TR

► **COMPATIBILITY**
For T8010 TR

► € 301.00

ACCESSORIES FOR TRUCK TYRE CHANGERS

HOLDER FOR TYRE LUBRICANT BUCKET

4030297

► **DESCRIPTION**
To hold a 5 kg bucket within operator's reach

► **COMPATIBILITY**
T8058 series

► € 90.00

SERVICE TOOLS FOR TABLE-TOP CAR TYRE CHANGERS

RING FOR TURNTABLE CONTROL

13549



► **DESCRIPTION**
For table-top car tyre changers

► **COMPATIBILITY**

► € 345.00

SERVICE TOOLS FOR TABLE-TOP CAR TYRE CHANGERS

TURNTABLE REMOVAL KIT

EAK0329G83A

► **DESCRIPTION**

Consisting of a ring with central screw and 4 blocks

► **COMPATIBILITY**

► **€ 739.00**

SERVICE TOOLS FOR TABLE-TOP CAR TYRE CHANGERS

AIR PRESSURE CONTROL

EAA0348G92A

► **DESCRIPTION**

Air pressure control

► **COMPATIBILITY**

► **€ 282.36**

SERVICE TOOLS FOR CENTRE-POST CAR TYRE CHANGERS

CALIBRATION TOOL

EAA0382G24A



► **DESCRIPTION**

For calibration and adjustment of tools and bead breaker rollers of Quadriga 1000 with software release 1.2.11 (otherwise software update is required)

► **COMPATIBILITY**

► **€ 161.00**

SERVICE TOOLS FOR CENTRE-POST CAR TYRE CHANGERS

CABLE FOR CONTROL OF POTENTIOMETER

EAW0286G14A



► **DESCRIPTION**

To control the potentiometer on tyre changers with PROspeed technology

► **COMPATIBILITY**

► **€ 85.00**

SERVICE TOOLS FOR CENTRE-POST CAR TYRE CHANGERS

USB STICK OF PERSEO MANAGER SOFTWARE

3-89426A1

► **DESCRIPTION**

USB stick of Perseo Manager software

► **COMPATIBILITY**

► **€ 54.00**

SERVICE TOOLS FOR CENTRE-POST CAR TYRE CHANGERS

USB CABLES FOR FIRMWARE UPDATE

6-20922A

► **DESCRIPTION**

To be used with 6-21022A

► **COMPATIBILITY**

► **€ 29.00**

SERVICE TOOLS FOR CENTRE-POST CAR TYRE CHANGERS

USB CABLES FOR FIRMWARE UPDATE

6-21022A

► **DESCRIPTION**

To be used with 6-20922A

► **COMPATIBILITY**

► **€ 35.00**

SERVICE TOOLS FOR CENTRE-POST CAR TYRE CHANGERS

CALIBRATION TOOL

EAK0341G12A



► **DESCRIPTION**

To synchronise powerMONT and dynamic bead breaker discs

► **COMPATIBILITY**

► **€ 189.00**

SERVICE TOOLS FOR CENTRE-POST CAR TYRE CHANGERS

CALIBRATION TOOL

EAM0085618A



► **DESCRIPTION**

To control the alignment of tools 1 and 2 of Quadriga 1000

► **COMPATIBILITY**

► **€ 30.00**

SERVICE TOOLS FOR TRUCK TYRE CHANGERS

STEEL PIPE TO MOUNT O RINGS

23360



► **DESCRIPTION**

For truck TC

► **COMPATIBILITY**

► **€ 44.00**

SERVICE TOOLS FOR TRUCK TYRE CHANGERS

PRESSURE GAUGE WITH ADAPTOR

4006849



► **DESCRIPTION**

For T8058

► **COMPATIBILITY**

For T8058

► **€ 290.00**

SERVICE TOOLS FOR TRUCK TYRE CHANGERS

TOOL FOR DEMOUNTING AND MOUNTING

EAA0384659A



► **DESCRIPTION**

For the front ring nut in the chuck cylinder flange


► **COMPATIBILITY**

► **€ 236.00**

SERVICE TOOLS FOR CENTRE-POST CAR TYRE CHANGERS

UNCRATING TOOL

EAK0330624A



► **DESCRIPTION**

To unload easily and safely TC from the pallet, consisting of:
1 x EAA0471G92A Jack with beam - Front
1 x EAA0471G93A Jack with beam - Rear
1 x TEAK0330G24A Instruction

► **COMPATIBILITY**

► **€ 3568.00**

SERVICE TOOLS FOR TRUCK TYRE CHANGERS

TOOL / PIN TO DEMOUNT CYLINDER

4013567



► **DESCRIPTION**

For T8058

► **COMPATIBILITY**

For T8058

► **€ 100.00**

SERVICE TOOLS FOR TRUCK TYRE CHANGERS

TOOL FOR SEAL / MANIFOLD INSTALLATION

EAA0383622A



► **DESCRIPTION**

For T8058

► **COMPATIBILITY**

For T8058

► **€ 516.00**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

BLADE PROTECTION, BEAD BREAKER

31158

► **DESCRIPTION**

BLADE PROTECTION, BEAD BREAKER

► **COMPATIBILITY**

► **€ 17.00**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

FLANGE Ø 280

4021100



► **DESCRIPTION**
Flange Ø 280

► **COMPATIBILITY**

► **€ 453.00**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

FLANGE Ø 220-280

4021101



► **DESCRIPTION**
Flange Ø 220-280

► **COMPATIBILITY**

► **€ 514.00**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

PAD FOR INSERTING THE GASKET FOR TRUCK TC

4025450



► **DESCRIPTION**
Pad for inserting the gasket for truck TC


► **COMPATIBILITY**

► **€ 57.00**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

"CLAMP +6" CENTER TYPE"

4029445



► **DESCRIPTION**
"CLAMP +6" CENTER TYPE"

► **COMPATIBILITY**

► **€ 200.01**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

"CLAMP 8" CENTER TYPE"

4029447

► **DESCRIPTION**
"CLAMP 8" CENTER TYPE"


► **COMPATIBILITY**

► **€ 134.46**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

"CLAMP +6" OFF CENTER TYPE"

4029449



► **DESCRIPTION**
"CLAMP +6" OFF CENTER TYPE"

► **COMPATIBILITY**

► **€ 200.01**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

"SLIDING CLAMP +4" OFF CENTER TYPE"

4029454

► **DESCRIPTION**
"SLIDING CLAMP +4" OFF CENTER TYPE"

► **COMPATIBILITY**

► **€ 184.63**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

"ADAPTORS FOR SLIDING JAWS +4" (OFF-CENTER TYPE)"

4029456



► **DESCRIPTION**
"adaptors for sliding jaws +4" (off-center type)"

► **COMPATIBILITY**

► **€ 440.00**

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

FOOT PEDAL UNIT CABLE

4030083



DESCRIPTION
FOOT PEDAL UNIT CABLE

COMPATIBILITY € 812.00

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

KIT RF PLUS 05-001

4030564



DESCRIPTION
KIT RF PLUS 05-001

COMPATIBILITY € 1229.00

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

LOW SMART BEAD SPACER TAIL GROUP

EAA0393604A

DESCRIPTION
LOW SMART BEAD SPACER TAIL GROUP

COMPATIBILITY € 100.00

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

WZ10 LUBRICANT (1 KG)

EAA0394610A



DESCRIPTION
WZ10 LUBRICANT (1 KG)

COMPATIBILITY € 104.00

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

PROTECTOR FOR BEAD LEVER PLUS - YELLOW

EAC0115695A

DESCRIPTION
PROTECTOR FOR BEAD LEVER PLUS -
YELLOW

COMPATIBILITY € 11.00

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

CW1015 -LIFT FOR T3

EAK0315675A

DESCRIPTION
CW1015 -LIFT FOR T3

COMPATIBILITY € 1517.00

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

CW1025-LIFT FOR T45-24 & T50

EAK0315676A

DESCRIPTION
CW1025-LIFT FOR T45-24 & T50

COMPATIBILITY € 1517.00

GENERAL ACCESSORIES FOR CAR TYRE CHANGER

"PERSONALIZATION KIT, 7100 ""S"" VERSION"

EAK0317679A

DESCRIPTION
"PERSONALIZATION KIT, 7100 ""S""
VERSION"

COMPATIBILITY € 63.00

GENERAL ACCESSORIES FOR CAR TYRE CHANGER**"PERSONALIZATION KIT, 8100 ""S"" VERSION"****EAK0317681A****▶ DESCRIPTION**"PERSONALIZATION KIT, 8100 ""S""
VERSION"**▶ COMPATIBILITY****▶ € 63.00****GENERAL ACCESSORIES FOR CAR TYRE CHANGER****ACCESSORIES FOR MH320, STD TC****EAK0329692A****▶ DESCRIPTION**

ACCESSORIES FOR MH320, STD TC

▶ COMPATIBILITY**▶ € 137.00****GENERAL ACCESSORIES FOR CAR TYRE CHANGER****BRANDING KIT, VAS 741 079 - NA****EAK0329698A****▶ DESCRIPTION**

BRANDING KIT, VAS 741 079 - NA

▶ COMPATIBILITY**▶ € 327.00****GENERAL ACCESSORIES FOR CAR TYRE CHANGER****BRANDING KIT, T7700 NA****EAK0341625A****▶ DESCRIPTION**

BRANDING KIT, T7700 NA

▶ COMPATIBILITY**▶ € 35.00****GENERAL ACCESSORIES FOR CAR TYRE CHANGER****BRANDING KIT, T7800 NA****EAK0341626A****▶ DESCRIPTION**

BRANDING KIT, T7800 NA

▶ COMPATIBILITY**▶ € 35.00****GENERAL ACCESSORIES FOR CAR TYRE CHANGER****BRANDING KIT, MONTY 8700****EAK0341627A****▶ DESCRIPTION**

Branding Kit, Monty 8700

▶ COMPATIBILITY**▶ € 35.00****GENERAL ACCESSORIES FOR CAR TYRE CHANGER****BRANDING KIT, MONTY 8800****EAK0341628A****▶ DESCRIPTION**

Branding Kit, Monty 8800

▶ COMPATIBILITY**▶ € 35.00****GENERAL ACCESSORIES FOR CAR TYRE CHANGER****HOFMANN EASYMONT PRO LABEL****EAL0425665A****▶ DESCRIPTION**

HOFMANN EASYMONT PRO LABEL

▶ COMPATIBILITY**▶ € 21.61**

3.4 ACCESSORIES

3.4.1 At a Single Glance - Accessories for Car Tyre Changers

Accessory Ref. No.	Machine										
	T1300 / B	T5300 / B / T5305	T5320/5325/B 2S / Plus	T5340/T5345/B 2S / Plus	T5540/T5545/B 2S / Plus	T6000 BS / Plus	T7300 S / G / P	Centaur Series	T7700 B / G	T7800 B / S / G / P	Quadriga 1000 / BS
General Accessories											
Roller board 4026290		•	•	•	•	•					
Add. bead breaker blade off road - 4028111	•	•	•	•	•	•					
Plast. protector/bead breaker blade 26582	•	*	*	*	*	*	*			-/*	
Miscellaneous Mounting Aids											
Plastic rim protector 4026853	•	•	*	*	*	*	*	*	*	*	*
Plastic tyre protector, clip-on EAA0481G31A									*	*	
Short rim protector EAA0481G34A									*	*	
Plastic tyre protector EAA0408G33A	•	•	•/*	•/*	•/*	•/*	*	*	*	*	*
Bead depressor 4003444	•	•	•	•	•	•	•	•			•
Bead clamp 4031295	•	•	•/*	•/*	•/*	•/*	*	*	*	*	•
Tyre bead holder EAC0125G10A	•	•	•	•	•	•	•	•	•	•	•
Bead pressing roller 4025966	•	•	•	•	•	•	•				
Smart Bead Spacer EAA0377G23A	•	•	•/*	•/*	•/*	•/*	*	*	*	*	*
Mounting tool EAA0393G89A											•
Connector for mounting tool EAA0426G34A							•	•	•	•	
Extension for extra large wheels 4024098			•	•	•						

• Can be used

* Is part of standard equipment

Accessory Ref. No.	Machine	T1300 / B	T5300 / B / T5305	T5320/5325/B 2S / Plus	T5340/T5345/B 2S / Plus	T5540/T5545/B 2S / Plus	T6000 BS / Plus	T7300 S / G / P	Centaur Series	T7700 B / G	T7800 B / S / G / P	Quadriga 1000 / BS
Mounting Heads & Accessories												
Mounting head 4029196		*	*	*	*	*	*	*				
Plastic mounting head 4024784		•	•	•	•	•	•	•				
Mounting head VW/Ford 4029338		•	•	•	•	•	•	•				
Plastic mounting head VW/Ford 4027646		•	•	•	•	•	•	•				
Quick exchange device 4029892		•	•	•	•	•	•	•				
Quick exchange device 4028228		•	•	•	•	•	•	•				
Quick exchange device VW/Ford 4028229		•	•	•	•	•	•	•				
+4 Quick exchange device 4028629					•	•	•	•				
Mounting head adaptor 4028884		•	•	•	•	•	•	•				
Plastic protectors for mounting head		•	•	•	•	•	•	•				
Plastic protectors for automatic mounting head - 4030887									•			
Plastic Caps & Jaw Adaptors												
Plastic cap for jaws 4030646		•	*	*								
Plastic cap for jaws EAK0317G12A					*	*						
+6" adaptors 4030649		•	•	•								
+4" adaptors 4029455					•	•	•					
LT adaptors 4030651		•	•	•								
LT adaptors 4027629					•	•	•					
easyclamp II EAA0377G98A		•	•	•								

- Can be used
- * Is part of standard equipment

Machine Accessory Ref. No.	T1300 / B	T5300 / B / T5305	T5320/5325/B 2S / Plus	T5340/T5345/B 2S / Plus	T5540/T5545/B 2S / Plus	T6000 BS / Plus	T7300 S / G / P	Centaur Series	T7700 B / G	T7800 B / S / G / P	Quadriga 1000 / BS
Motorcycle Wheel Accessories											
Motorcycle mounting head 4013706	•	•	•	•	•	•					
8" jaws EAA0410G87A	•	•	•								
Mot. jaws 4030648	•	•	•								
Mot. & ATV jaws 4028568				•	•	•					
26" Motorcycle adaptor ki EAK0330G55A				•	•						
easyclamp II EAA0377G98A	•	•	•								
Add. bead breaker blade 4008755	•	•	•	•	•						
Slip-on shoe 4029113	•										
Centring & Clamping Accessories											
Closed centre rim kit EAA0410G88A							•			•	
Closed centre rim kit 4030515; on T7300 and T7800 2S in conjunction with EAA0410G89A only*							•*	•	•	•*	
Threaded shaft assembly EAA0410G89A							•			•	
Closed centre rim kit 4031036											•
Bolts EAA0363G30A							•	•	•	•	•
Bolts EAA0363G40A							•	•	•	•	•
Light-truck kit 4030486							•		•	•	
Light-truck kit 4031033											•
Reverse mounted wheel kit 4031245							•	•	•	•	
Reverse mounted wheel kit 4031040											•
Bolts EAA0364G48A							•	•	•	•	•
Bolts EAA0440G50A							•	•	•	•	•
Bolts EAA0384G83A							•	•	•	•	•

• Can be used * Is part of standard equipment

Machine Accessory Ref. No.	T1300 / B	T5300 / B / T5305	T5320/5325/B 2S / Plus	T5340/T5345/B 2S / Plus	T5540/T5545/B 2S / Plus	T6000 BS / Plus	T7300 S / G / P	Centaur Series	T7700 B / G	T7800 B / S / G / P	Quadrige 1000 / BS
BMW clamping kit EAA0392G80A							●	●	●	●	●
MB clamping kit EAK0330G20A							●	●	●	●	
Cone kit 64 mm EAK0317G75A							●	●	*	*	
Cone kit 75 mm EAK0317G76A							●	●	*	*	
Cone kit 126 mm EAK0317G77A							●	●	*	*	
Cone kit 145 mm EAK0317G78A							●	●	*	*	
Cone kit 42-85mm EAK0317G32A							●	●	●	●	
Cone kit 42-85mm EAK0317G84A											●
Special cone EAM0091G24A											●
Plastic protectors 85mm EAK0317G33A											●
Plastic protectors 120mm EAK0317G73A											●
Plastic protectors 145mm EAK0317G74A											●
Special Accessories											
PAX kit 4031395											●
Toolbox EAA0481G79A									●	●	
Pneumatic Mounting Tools & Accessories											
MH 310 / 320 pro 6027702 / 6027703	●	●/*	●/*	●/*	●/*	*					
Plus accessories for MH 310 / 320 pro - EAK0329G93A	●	●/*	●/*	●/*	●/*	*					
Extension for pneumatic bead as- sist - 4026913		●	●	●	●	●/-					
Rod with tapered roll 35 mm 4029326		●	●/*	●/*	●/*	*					
Adjustable bead breaker disc 4029261		●	●	●	●	●/-					
Tractor kit EAA0393G08A		●	●/*	●	●	●			*	*	

- Can be used
- * Is part of standard equipment

Machine Accessory Ref. No.	T1300 / B	T5300 / B / T5305	T5320/5325/B 2S / Plus	T5340/T5345/B 2S / Plus	T5540/T5545/B 2S / Plus	T6000 BS / Plus	T7300 S / G / P	Centaur Series	T7700 B / G	T7800 B / S / G / P	Quadriga 1000 / BS
Accessories for Pneumatic Bead Assist											
Tractor kit EAA0393G08A		●	●/*	●	●	●			*	*	
Pneumatic bead press arm MH EAA0377G28A								●/*			
Bead press tool EAC0102G28A								●			
Wheel Lifts											
CW1015 EAK0279G89A		●	●	●							
CW1025 EAK0279G86A					●						
CW1035 EAK0279G87A						●					
Wheel lift EAK0317G64A							●/*				
Wheel lift EAA0377G29A								●/*	● **	●/*	

- Can be used
- * Is part of standard equipment
- ** T7700B 2S and T7800S 2S are available w/ and w/o wheel lift

ACCESSORIES FOR SOL 3000

ADJUSTABLE EXTENSION PICK-UP PAD

4026866



DESCRIPTION
(212/337 mm from ground),
1 off.

COMPATIBILITY
SOL 3000

€ 357.00

ACCESSORIES FOR SOL 3000

ADJUSTABLE EXTENSION PICK-UP PAD

4026864



DESCRIPTION
(161/241 mm from ground),
1 off

COMPATIBILITY
SOL 3000

€ 357.00

ACCESSORIES FOR SOL 3000

FRAME FOR LOW-RESISTANCE FLOOR

4026863



DESCRIPTION
For use under unfavourable ground condition

COMPATIBILITY
SOL 3000

€ 1602.00

ACCESSORIES FOR SOL 3000

TESLA PICK UP PADS (SET OF 4)

EAK0339V13A



DESCRIPTION
Can be retrofit to 2-post lifts already placed in workshops.

COMPATIBILITY
SOL 3000, JLT3500 & JLT4500

€ 295.00

ACCESSORIES FOR SOL 3000

HEAVY-DUTY ANCHOR BOLTS

H6490551



DESCRIPTION
HSL-4-G M16/100
(1 set = 12 pieces)

COMPATIBILITY
SOL 3000

€ 334.00

ACCESSORIES FOR SOL 3000

ANCHOR BOLTS

6028616

DESCRIPTION
Anchor bolts

COMPATIBILITY

€ 6160.00

ACCESSORIES FOR JLT3500 AND JLT4500

SPECIAL PICK-UP PADS

H6492077



DESCRIPTION
For Volvo and Mercedes-Benz (= 4 off)

COMPATIBILITY

€ 965.00

ACCESSORIES FOR JLT3500 AND JLT4500

ADD-ON PADS

H6462859



DESCRIPTION
Fopick-up pads of 120 mm Ø (1 set = 4 off)


COMPATIBILITY

€ 463.00

ACCESSORIES FOR JLT3500 AND JLT4500

ADAPTORS FOR PICK-UP PADS FOR MB JEEPS (BM 463)

H6490373



DESCRIPTION

"For pick-up pads for MB jeeps (BM 463)

Designed for pick-up pads, ref. H6464299 (1 set = 4 off)"

COMPATIBILITY

€ 450.00

ACCESSORIES FOR JLT3500 AND JLT4500

PICK-UP PADS FOR VANS AND LIGHT TRUCKS

H6464297



DESCRIPTION

For vans and light trucks
Vertically adjustable 1 set (4)

COMPATIBILITY

€ 1125.00

ACCESSORIES FOR JLT3500 AND JLT4500

ENERGY STATION

EAK0339V10A



DESCRIPTION

Air supply / 230 V 1 phase, incl. impact wrench holder

COMPATIBILITY

€ 129.00

ACCESSORIES FOR JLT3500 AND JLT4500

EXTENSION KIT

EAK0339V01A-3000



DESCRIPTION

Column extensions including hose extensions

COMPATIBILITY

€ 549.00

Standard equipment of JLT3500 TALL, option for JLT3500 STD

ACCESSORIES FOR JLT3500 AND JLT4500

SECONDARY CONTROL BOX

EAK0339V02A



DESCRIPTION

To be fitted on secondary column


COMPATIBILITY

€ 618.00

ACCESSORIES FOR JLT3500 AND JLT4500

HOLDER

EAK0339V05A



DESCRIPTION

1 set (2)


COMPATIBILITY

€ 132.00

ACCESSORIES FOR SOL 3000

TESLA PICK UP PADS (SET OF 4)

EAK0339V13A



DESCRIPTION

Can be retrofit to 2-post lifts already placed in workshops.

COMPATIBILITY

€ 295.00

SOL 3000, JLT3500 & JLT4500

ACCESSORIES FOR JLT3500 AND JLT4500

STORAGE FOR WHEEL NUTS ETC.

EAA0431V16A



DESCRIPTION

Attached to lifting arms with magnet

COMPATIBILITY

€ 71.00

ACCESSORIES FOR JLT3500 AND JLT4500

PICK-UP PAD EXTENSIONS

EAK0339V04A



► **DESCRIPTION**
75 mm

► **COMPATIBILITY** ► **€ 200.00**

ACCESSORIES FOR JLT3500 AND JLT4500

PICK-UP PAD EXTENSIONS

EAK0339V09A



► **DESCRIPTION**
150 mm

► **COMPATIBILITY** ► **€ 256.00**

ACCESSORIES FOR JLT3500 AND JLT4500

HYDRAULIC HOSE KIT (4 UNITS) FOR HL/JLT3500 STANDARD

EAK0339V15A

► **DESCRIPTION**
Hydraulic hose kit (4 units)

► **COMPATIBILITY** ► **€ 164.00**
HL/JLT3500 Standard

ACCESSORIES FOR JLT3500 AND JLT4500

HYDRAULIC HOSE KIT (4 UNITS) FOR HL/JLT 3500 TALL

EAK0339V16A

► **DESCRIPTION**
Hydraulic hose kit (4 units)

► **COMPATIBILITY** ► **€ 186.00**
HL/JLT 3500 Tall

ACCESSORIES FOR JLT3500 AND JLT4500

HYDRAULIC HOSE KIT (4 UNITS) FOR HL/JLT 4500 STANDARD

EAK0357V08A

► **DESCRIPTION**
Hydraulic hose kit (4 units)

► **COMPATIBILITY** ► **€ 207.00**
HL/JLT 4500 Standard

ACCESSORIES FOR JLT3500 AND JLT4500

HYDRAULIC HOSE KIT (4 UNITS) FOR HL/JLT 4500 TALL

EAK0357V09A

► **DESCRIPTION**
Hydraulic hose kit (4 units)

► **COMPATIBILITY** ► **€ 218.00**
HL/JLT 4500 Tall

ACCESSORIES FOR JLT3500 AND JLT4500

ANCHOR BOLTS FOR JLT3500

EAK0339V03A

► **DESCRIPTION**
Consisting of heavy-duty anchor bolts
1-08489A HILTI HSA M16/182 (1 set = 14 off)

► **COMPATIBILITY** ► **€ 275.00**
JLT3500

ACCESSORIES FOR JLF4000

JACKING BEAM

EELS727A



► **COMPATIBILITY**
JLF4000

► **DESCRIPTION**
- Lifting capacity 3000 kg (7000LBS.)
- Max stroke 450 mm
- Durable and compact scissor carrying structure
- Adjustable width between support wheels to fit different widths between runways
- Holder pad extensions for various wheelbases
- With manual release mechanical safety locking unit
- Steel-made driving rolls with ball bearings move easily and smoothly on the track
- Pneumatic operation

► **€ 2895.00**

ACCESSORIES FOR JLF4000

KIT DRIVE-OVER RAMPS FOR FLUSH-MOUNT INSTALLATION

EAK0361V48A



► DESCRIPTION

- Includes 2 pcs.
For a drive through application 2 kits are required

► COMPATIBILITY

► € 522.00

ACCESSORIES FOR JLF4000

SET OF TURNABLE COVERS

EAK0361V52A



► DESCRIPTION

- Kit of 2 pieces

► COMPATIBILITY

JLF4000

► € 229.00

LIFTS

RECHARGEABLE LIGHTING KIT

EAK0361V64A



► DESCRIPTION

- Convenient USB charging for the battery.
- Built-in motion sensor detects when operators enter the working area. This triggers the light to turn on automatically, and it will switch off 2-3 minutes after the operator(s) have left the working area.
- Equipped with two strong magnets, making it easy to attach to the lift surface for hands-free operation.
- Fits all 2-post, 4-post, double scissor lifts, and all benches.

► COMPATIBILITY

► € 146.00

AT A GLANCE - Accessories for duolift®

Accessory Ref. N°	Machine	duolift GTE 2500	duolift MTF 3000 / 3000 MB	duolift MTF 3000-E	duolift BTE 3200 / 3200 MB	duolift HL 3500 STD / TALL	duolift HL 4500 STD / TALL	duolift MSE 5500 duolift MSE 5000 / 5000 MB
Special pick-up pads Volvo / MB H6492077			•	•	•	•	•	
Pick-up pad Opel Insignia 4026864			•	•	•	•	•	
Pick-up pads f. MB jeep/van H6464299		•			•			•
Add-on pads 120 mm Ø H6462859		•	•	•	•	•	•	•
Add-on pad MB-100 H6490514								•
Accessory for MB jeep/van H6490091		•			•			•
Accessory kit for vans / LT H6464297		•	•	•	•	•	•	•
Adaptor set 36208								•
Adaptor set for MB Sprinter 34772								•
Accessory kit for MB Sprinter H6492029								•
Accessory kit for VW LT2 H6490808								•
Accessory kit for vans / LT H6490860								•
Short arms / fork-lift truck H6490871								•
Safety plug-in adaptor H6490301		•			•			•
Safety means f. MB A class H1951510		•			•			•
Energy station EAK0339V10A			•/*	•/*		•	•	•/*
Tool trays H6492007		•			•/*			•/*
Tool trays H6491099			•/*	•				
Accessory kit: energy station + tool trays H6492006		•			•			•
Accessory kit: energy station + tool trays H6491098			•	•				
Supporting frame H6490864			•	•				

• Can be used

* Is part of standard equipment

AT A GLANCE - Accessories for duolift®

Accessory Ref. N°	Machine	duolift GTE 2500	duolift MTF 3000 / 3000 MB	duolift MTF 3000-E	duolift BTE 3200 / 3200 MB	duolift HL 3500 STD / TALL	duolift HL 4500 STD / TALL	duolift MSE 5500 duolift MSE 5000 / 5000 MB
Supporting frame H6492126								•
Reducing sleeve Ø 55 > 45 H6490902								•
Wheel grips H6470432								•
Column extension kit EAK0339V01A						•/*		
Control box kit for secondary column EAK0339V02A						•	•	
Holder for pick-up pad adaptors EAM0119V48A						•	•	
Storage for wheel nuts etc EAA0431V16A			•			•	•	
Pick-up pad extensions 75 mm EAK0339V04A			•			•	•	
Pick-up pad extensions 150 mm EAK0339V09A			•			•	•	
Tesla pickup pads EAK0339V13A		•	•			•		

• Can be used

* Is part of standard equipment

ACCESSORIES FOR H4PRO**INDUCTION HEAD - ANGLED****EAK0375G89A****▶ DESCRIPTION**

Induction head - angled

▶ COMPATIBILITY

H4PRO

▶ € 416.00**ACCESSORIES FOR H4PRO****COOLANT LRA5 - 5 LITERS****8-02315A****▶ DESCRIPTION**

Coolant LRA5 - 5 liters

▶ COMPATIBILITY

H4PRO

▶ € 120.00**ACCESSORIES FOR H4PRO****REPAIR KIT ANGLED INDUCTION HEAD****EAK0390G09A****▶ DESCRIPTION**

REPAIR KIT ANGLED INDUCTION HEAD

▶ COMPATIBILITY

H4PRO

▶ € 94.00**ACCESSORIES FOR H4PRO****INDUCTION HEAD - STRAIGHT****EAK0375G90A****▶ DESCRIPTION**

Induction head - straight

▶ COMPATIBILITY

H4PRO

▶ € 448.00**ACCESSORIES FOR H4PRO****BASIC TROLLEY FOR H4PRO****EAK0390G08A****▶ DESCRIPTION**

BASIC TROLLEY FOR H4PRO

▶ COMPATIBILITY

H4PRO

▶ € 515.00**ACCESSORIES FOR H4PRO****REPAIR KIT STRAIGHT INDUCTION HEAD****EAK0390G10A****▶ DESCRIPTION**

REPAIR KIT STRAIGHT INDUCTION HEAD

▶ COMPATIBILITY

H4PRO

▶ € 94.00

JohnBean

www.JOHNBEAN.COM

SSJ6M12024R